



FLAT BAR



Sr.NO	A	B	WT/M	WT/12FT	Sr.NO	A	B	WT/M	WT/12FT
1	12	2.5	0.082	0.300	37	30	10	0.847	3.100
2	12	3	0.098	0.360	38	30	12	0.984	3.600
3	12	6	0.199	0.730	39	30	16	1.036	3.790
4	12	5	0.164	0.600	40	31	19	1.525	5.580
5	16	6	0.260	0.950	41	32	1.5	0.137	0.500
6	16	10	0.437	1.600	42	35	1.75	0.164	0.600
7	18	2.5	0.123	0.450	43	35	6	0.571	2.090
8	18	5	0.246	0.900	44	38	2	0.205	0.750
9	19	1.5	0.071	0.260	45	38	3	0.328	1.200
10	19	2	0.109	0.400	46	38	5	0.508	1.860
11	19	2.5	0.128	0.470	47	38	9	0.937	3.430
12	19	2.8	0.148	0.540	48	38	12	1.246	4.560
13	19	3	0.154	0.563	49	38	25	2.568	9.400
14	19	3.5	0.156	0.570	50	40	2	0.216	0.790
15	19	5	0.260	0.950	51	40	3	0.317	1.160
16	19	6	0.328	1.200	52	40	4	0.437	1.600
17	19	12	0.650	2.380	53	40	5	0.574	2.100
18	20	3	0.178	0.650	54	40	6	0.656	2.400
19	20	5	0.273	1.000	55	40	8	0.869	3.180
20	20	6	0.342	1.250	56	40	10	1.093	4.000
21	20	10	0.555	2.030	57	40	12	1.311	4.800
22	22	20	1.202	4.400	58	40	12.5	1.366	5.000
23	25	1.5	0.104	0.380	59	40	15	1.639	6.000
24	25	2	0.137	0.500	60	40	16	1.754	6.420
25	25	2.7	0.178	0.650	61	50	2	0.268	0.980
26	25	3	0.205	0.750	62	50	3	0.432	1.580
27	25	4	0.265	0.970	63	50	4	0.546	2.000
28	25	5	0.342	1.250	64	50	5	0.683	2.500
29	25	6	0.402	1.470	65	50	6	0.806	2.950
30	25	8	0.527	1.930	66	50	8	1.093	4.000
31	25	10	0.678	2.480	67	50	10	1.339	4.900
32	25	12	0.820	3.000	68	50	10	1.380	5.050
33	30	1.8	0.158	0.580	69	50	12	1.639	6.000
34	30	3	0.246	0.900	70	50	16	2.186	8.000
35	30	5	0.410	1.500	71	50	25	3.383	12.380
36	30	6	0.434	1.590	72	56	3	0.451	1.650
37	30	8	0.656	2.400	73	60	3	0.492	1.800



FLAT BAR



Sr.NO	A	B	WT/M	WT/12FT	Sr.NO	A	B	WT/M	WT/12FT
74	60	6	0.820	3.000	111	100	25	6.831	25.000
75	60	10	1.612	5.900	112	120	10	3.224	11.800
76	60	12	1.945	7.120	113	120	12	3.907	14.300
77	60	15	2.459	9.000	114	120	20	6.500	23.790
78	63	3	0.516	1.890	115	125	3	1.011	3.700
79	63	6	1.025	3.750	116	125	6	2.038	7.460
80	63	10	1.721	6.300	117	125	10	3.361	12.300
81	63	16	2.773	10.150	118	125	12	4.057	14.850
82	70	4	0.754	2.760	119	125	16	5.355	19.600
83	70	10	1.858	6.800	120	125	20	6.645	24.320
84	70	19	3.634	13.300	121	126	6	2.068	7.570
85	70	29	4.733	17.323	122	140	12	4.497	16.460
86	75	3	0.612	2.240	123	146	3	1.221	4.470
87	75	5	1.025	3.750	124	150	3	1.202	4.400
88	75	6	1.216	4.450	125	150	5	2.049	7.500
89	75	8	1.639	6.000	126	150	6	2.437	8.920
90	75	10	2.055	7.520	127	150	8	3.142	11.500
91	75	12	2.377	8.700	128	150	10	4.112	15.050
92	75	16	3.268	11.960	129	150	12	4.836	17.700
93	75	20	4.060	14.860	130	150	16	6.445	23.590
94	75	25	5.055	18.500	131	150	20	8.197	30.000
95	75	50	10.219	37.400	132	150	25	10.123	37.050
96	80	4	0.861	3.150	133	152	6	2.492	9.120
97	80	6	1.284	4.700	134	154	51.8	21.530	78.800
98	80	10	2.131	7.800	135	160	6	2.404	8.800
99	80	12	2.574	9.420	136	160	10	4.344	15.900
100	80	20	4.372	16.000	137	160	12	5.178	18.950
101	80	25	5.402	19.770	138	175	6	2.768	10.130
102	100	3	0.820	3.000	139	175	10	4.781	17.500
103	100	4	1.087	3.980	140	175	12	5.683	20.800
104	100	5	1.339	4.900	141	180	10	4.918	18.000
105	100	6	1.585	5.800	142	200	3	1.639	6.000
106	100	8	2.093	7.660	143	200	6	3.265	11.950
107	100	10	2.678	9.800	144	200	10	5.402	19.770
108	100	12	3.183	11.650	145	200	12.5	6.803	24.900
109	100	16	4.358	15.950	146	200	14	7.557	27.660
110	100	20	5.451	19.950	147	200	16	8.642	31.630




FLAT BAR (R)



SR.NO	A	B	R	WT/12FT	WT/MTR
1	12	3.2	1.6	0.360	0.098
2	18.7	4.55	2.28	0.840	0.230
3	20	1.5	0.75	0.290	0.079
4	25	3	1.5	0.750	0.205
5	25	6	3	1.300	0.355
6	25	10	5	2.300	0.628
7	30	10	5	2.750	0.751
8	36.5	15	2	5.370	1.467
9	40	6	3	2.300	0.628
10	40	10	5	3.740	1.022
11	50	6	3	3.050	0.833
12	50	10	5	4.800	1.311
13	50	12	6	5.900	1.612
14	50	13	6.5	6.050	1.653
15	50	15	5	7.000	1.913
16	50	15	7.5	7.400	2.022
17	60	10	5	5.700	1.557
18	63.5	12.7	6.35	7.970	2.178
19	80	6	3	4.800	1.311
20	80	10	5	7.700	2.104
21	100	6	3	6.000	1.639
22	126	6	3	7.560	2.066
23	150	16	8	23.100	6.311
24	150	20	10	28.450	7.773
25	175	6	3	10.500	2.869
26	25.4	2.95	2	0.700	0.191
27	40	18	3	11.100	3.033
28	60	10	3	0.840	0.230
29	75	10	3	7.420	2.027
30	80	10	3	7.600	2.077
31	100	10	3	9.850	2.691
32	120	16	2	18.760	5.126
33	120	10	3	11.700	3.197
34	125	10	3	11.800	3.224
35	150	10	5	14.660	4.005
36	150	12	6	17.800	4.863
37	160	10	3	15.900	4.344
38	200	10	5	19.601	5.355




EQUAL ANGLE



SR NO	A	B	T	WT /12FT	WT/MTR	SR NO	A	B	T	WT /12FT	WT/MTR
1	12	12	1.4	0.320	0.087	31	38	38	2	1.400	0.383
2	15	15	1.5	0.440	0.120	32	38	38	2.3	1.700	0.464
3	15	15	2	0.570	0.156	33	38	38	2.55	1.900	0.519
4	19	19	0.7	0.260	0.071	34	38	38	2.7	1.950	0.533
5	19	19	1.05	0.390	0.107	35	38	38	3.2	2.300	0.628
6	19	19	1.2	0.440	0.120	36	38	38	3.3	2.400	0.656
7	19	19	1.9	0.720	0.197	37	38	38	4	2.930	0.801
8	19	19	1.85	0.650	0.178	38	38	38	5	3.600	0.984
9	19	19	2	0.750	0.205	39	38	38	6	4.200	1.148
10	19	19	2.5	0.900	0.246	40	50	50	1.5	1.500	0.410
11	19	19	3	1.100	0.301	41	50	50	2	1.950	0.533
12	19.5	19.5	2.2	0.800	0.219	42	50	50	2.5	2.450	0.669
13	20	20	2	0.800	0.219	43	50	50	3	2.850	0.779
14	22	22	2.5	1.050	0.287	44	50	50	4	3.900	1.066
15	25	25	1.2	0.560	0.153	45	50	50	5	4.780	1.306
16	25	25	1.45	0.680	0.186	46	50	50	6	5.850	1.598
17	25	25	1.5	0.750	0.205	47	60	60	4	4.750	1.298
18	25	25	2	0.900	0.246	48	63	63	3	3.700	1.011
19	25	25	2.1	1.000	0.273	49	63	63	6	7.080	1.934
20	25	25	2.2	1.100	0.301	50	65	65	3	3.850	1.052
21	25	25	2.5	1.150	0.314	51	75	75	3	4.480	1.224
22	25	25	3	1.320	0.361	52	75	75	5	7.120	1.945
23	25	25	6.5	3.200	0.874	53	75	75	6	8.950	2.445
24	30	30	3	1.740	0.475	54	75	75	10	13.850	3.784
25	31	31	2	1.200	0.328	55	100	100	3	5.410	1.478
26	31	31	3	1.800	0.492	56	100	100	5	9.900	2.705
27	31	31	5	2.830	0.773	57	100	100	6	11.440	3.126
28	31	31	6	3.520	0.962	58	100	100	10	18.800	5.137
29	38	38	1.35	1.000	0.273						
30	38	38	1.4	1.000	0.273						




UNEQUAL ANGLE



SR NO	A	B	T	WT/12FT	WT/12FT
1	17	15	1.5	0.470	0.128
2	19	12	1.5	0.420	0.115
3	19	19.5	2.2	0.840	0.230
4	25	9.5	1.75	0.570	0.156
5	25	15	2	0.800	0.219
6	25	16	2.5	0.870	0.238
7	25	19	2	0.820	0.224
8	30	15	2	0.850	0.232
9	35	22	2	1.100	0.301
10	38	25	5	2.850	0.779
11	38	25	3	1.700	0.464
12	38	25	2.5	1.450	0.396
13	38	25	2	1.150	0.314
14	38	25	1.6	1.000	0.273
15	38	25	1.5	0.900	0.246
16	40	20	3	1.780	0.486
17	50	25	4	2.900	0.792
18	50	25	3	2.160	0.590
19	55	35	2.2	1.870	0.511
20	58	25	2	1.640	0.448
21	65	25	3	2.350	0.642
22	75	50	2	2.450	0.669
23	75	50	4	4.900	1.339
24	75	50	3	3.440	0.940
25	75	50	6	7.200	1.967
26	80	50	5	6.400	1.749
27	100	50	6	8.500	2.322
28	100	50	5	7.550	2.063
29	100	50	3	4.100	1.120
30	100	40	2.5	3.350	0.915
31	150	75	5	5.120	1.399




RECTANGULAR TUBE



SR. NO.	A	B	T	WT/12 FT	WT/ MTR	SR. NO	A	B	T	WT/12 FT	WT/MTR
1	25	12	1.15	0.800	0.219	37	75	12	1.45	2.400	0.656
2	25	12	1.6	1.060	0.290	38	75	12	1.7	2.800	0.765
3	25	12	2	1.340	0.366	39	75	12	3	4.850	1.325
4	25	19	1	0.840	0.230	40	75	19	1.6	2.900	0.792
5	25	19	1.2	1.000	0.273	41	75	19	3	5.200	1.421
6	25	19	2	1.620	0.443	42	75	25	1	1.900	0.519
7	25	19	3.2	2.450	0.669	43	75	25	1.3	2.500	0.683
8	28	23	1.4	1.320	0.361	44	75	25	1.5	2.900	0.792
9	30	15	1.9	1.550	0.423	45	75	25	1.7	3.300	0.902
10	33	20	0.95	0.920	0.251	46	75	25	3	5.600	1.530
11	33	20	1.05	1.050	0.287	47	75	38	2	4.400	1.202
12	40	15	1.6	1.640	0.448	48	75	38	2.5	5.400	1.475
13	40	20	2.1	2.320	0.634	49	75	38	3	6.400	1.749
14	48	24	0.75	1.000	0.273	50	75	50	1.5	3.650	0.997
15	48	24	0.9	1.200	0.328	51	75	50	1.8	4.350	1.189
16	48	24	1	1.400	0.383	52	75	50	2	4.850	1.325
17	48	24	1.5	2.000	0.546	53	75	50	2.5	5.950	1.626
18	48	24	2	2.700	0.738	54	75	50	3	7.150	1.954
19	48	24	3	3.950	1.079	55	75	50	4	9.300	2.541
20	50	10	2	2.200	0.601	56	75	50	5	11.400	3.115
21	50	12	1.5	1.700	0.464	57	80	40	5	1.366	0.373
22	50	19	1.4	1.700	0.464	58	83	38	1	2.400	0.656
23	50	38	1.25	2.100	0.574	59	83	38	1.25	2.900	0.792
24	50	38	1.45	2.450	0.669	60	83	38	1.7	3.900	1.066
25	50	38	1.7	2.820	0.770	61	83	38	3	6.850	1.872
26	50	38	2	3.350	0.915	62	100	12	2.1	4.500	1.230
27	50	38	2.5	4.150	1.134	63	100	19	1.55	3.600	0.984
28	50	38	3	4.900	1.339	64	100	19	2	4.500	1.230
29	52.5	49.5	2	3.900	1.066	65	100	24	0.9	2.200	0.601
30	53.5	37.5	2	3.400	0.929	66	100	24	1.2	2.900	0.792
31	63	25	1	1.700	0.464	67	100	24	1.75	4.200	1.148
32	63	38	1	2.000	0.546	68	100	24	2.6	6.200	1.694
33	63	38	1.25	2.400	0.656	69	100	24	3	7.100	1.940
34	63	38	1.5	2.900	0.792	70	100	38	1.1	2.900	0.792
35	63	38	2	3.850	1.052	71	100	38	1.6	4.200	1.148
36	63	50	0.95	2.050	0.560	72	100	38	2	5.200	1.421




RECTANGULAR TUBE



SR. NO	A	B	T	WT/12 FT	WT/MTR
73	100	38	3	8.000	2.186
74	100	44	2.1	5.800	1.585
75	100	44	2.8	7.700	2.104
76	100	50	1.35	4.000	1.093
77	100	50	1.6	4.700	1.284
78	100	50	2	5.800	1.585
79	100	50	2.5	7.200	1.967
80	100	50	3	8.600	2.350
81	100	50	5	14.100	3.852
82	100	75	2	6.800	1.858
83	100	75	3	10.100	2.760
84	101.5	44.5	2	5.650	1.544
85	115	65	2	7.000	1.913
86	117	25	1.3	3.700	1.011
87	120	53	3	10.100	2.760
88	125	25	1.2	3.400	0.929
89	125	25	1.45	4.200	1.148
90	125	25	1.65	4.800	1.311
91	125	25	2.1	6.200	1.694
92	125	25	2.6	7.500	2.049
93	125	38	1.2	3.800	1.038
94	125	38	1.45	4.600	1.257
95	125	38	1.6	5.100	1.393
96	125	50	2.2	7.400	2.022
97	125	75	2	7.800	2.131
98	125	100	2.1	9.200	2.514
99	150	25	1.5	5.100	1.393
100	150	25	2.1	7.100	1.940
101	150	38	1.5	5.500	1.503
102	150	38	2	7.300	1.995
103	150	50	1.35	5.300	1.448
104	150	50	2	7.750	2.117
105	150	50	2.5	9.650	2.637
106	150	50	3	11.500	3.142
107	150	75	2	8.900	2.432
108	150	75	3	13.200	3.607
109	150	75	4	17.200	4.699




SQUARE BAR




Sr.NO	A	B	WT./MTR	WT.12FT
1	8	8	0.171	0.625
2	9.5	9.5	0.246	0.900
3	12	12	0.451	1.650
4	16.3	16.3	0.724	2.650
5	22	22	1.311	4.800




SQUARE TUBE



SR.NO	A	T	WT/12 FT	WT/MTR
1	12.7	1.5	0.660	0.180
2	19	1.2	0.850	0.232
3	19	1.5	1.040	0.284
4	19	2	1.350	0.369
5	25	1	0.940	0.257
6	25	1.5	1.400	0.383
7	25	2	1.810	0.495
8	25	3	2.600	0.710
9	30	3	3.200	0.874
10	31	2	2.300	0.628
11	31	2.5	2.800	0.765
12	31	3	3.350	0.915
13	34	1.5	1.850	0.505
14	38	1.1	1.600	0.437
15	38	1.3	1.800	0.492
16	38	1.5	2.200	0.601
17	38	1.7	2.450	0.669
18	38	2	2.900	0.792
19	38	2.5	3.550	0.970
20	38	3	4.250	1.161
21	40	2.6	3.850	1.052
22	40	4	5.650	1.544
23	45	2	3.300	0.902
24	50	0.95	1.840	0.503
25	50	1.15	2.200	0.601
26	50	1.25	2.400	0.656
27	50	1.5	2.850	0.779
28	50	2	3.850	1.052
29	50	2.5	4.700	1.284
30	50	3	5.650	1.544
31	60	2.6	5.850	1.598
32	63	2.3	5.450	1.489
33	75	2	5.960	1.628
34	75	2.5	7.150	1.954
35	75	3	8.800	2.404
36	75	5	14.120	3.858
37	85	2.1	6.900	1.885
38	100	2	7.800	2.131
39	100	2.5	9.800	2.678
40	100	3	11.600	3.169




ROUND BAR



SR NO	D	WT/12 FT	WT/MTR
1	8	0.500	0.137
2	10	0.750	0.205
3	12	1.150	0.314
4	15	2.900	0.792
5	16	1.198	0.327
6	19	2.850	0.779
7	20	3.100	0.847
8	27.2	7.300	1.995
9	31	7.850	2.145
10	38	11.210	3.063
11	42	14.000	3.825
12	70.5	39.100	10.683
13	80	50.100	13.689




ROUND PIPE



SR NO	OD	ID	WT /12FT	WT/MTR	SR NO	OD	ID	WT /12FT	WT/MTR
1	15.2	11.8	0.720	0.197	40	43	32	6.390	1.746
2	16.3	13.1	0.750	0.205	41	44.4	41.4	2.000	0.546
3	17	13	0.940	0.257	42	45	25	10.800	2.951
4	18	16.2	0.460	0.126	43	45	35	6.650	1.817
5	18	16.38	0.600	0.164	44	45	38	4.600	1.257
6	18.5	15.1	0.880	0.240	45	46	17	13.970	3.817
7	18.6	16.3	0.630	0.172	46	48	44	2.750	0.751
8	19	16.5	0.675	0.184	47	50	25	14.610	3.992
9	19.4	14.8	1.220	0.333	48	50	40	7.200	1.967
10	19.5	16.65	0.650	0.178	49	50	44	4.230	1.156
11	20	12	1.880	0.514	50	50	45.1	3.500	0.956
12	20	16	1.100	0.301	51	50	46	3.000	0.820
13	20	18	0.460	0.126	52	50.8	47.6	2.400	0.656
14	21.2	18.2	0.960	0.262	53	51	44	5.160	1.410
15	22	18	1.220	0.333	54	52	38	9.660	2.639
16	22.2	19.4	0.920	0.251	55	53	40	9.450	2.582
17	22.2	20.2	0.640	0.175	56	54	34	13.800	3.770
18	22.23	19.83	0.760	0.208	57	54	30	15.647	4.275
19	25	12	3.700	1.011	58	54.4	50	3.740	1.022
20	25	19	2.050	0.560	59	56	48.5	6.100	1.667
21	25	22	1.140	0.311	60	57	51	5.050	1.380
22	25	22.6	0.830	0.227	61	59.5	51	7.280	1.989
23	25.4	23	1.100	0.301	62	60	40	15.770	4.309
24	25.4	23.4	0.760	0.208	63	60	50	8.500	2.322
25	27	22	1.850	0.505	64	60	54	5.140	1.404
26	28.57	26.17	1.000	0.273	65	60	55	4.240	1.158
27	30	18	4.470	1.221	66	60	56	3.600	0.984
28	30	26	1.600	0.437	67	61	55	5.330	1.456
29	32	19	5.220	1.426	68	63	32	22.700	6.202
30	32	25	3.320	0.907	69	63	50	11.300	3.087
31	32	26	2.640	0.721	70	63	57	5.900	1.612
32	32	28	1.880	0.514	71	66	62	4.130	1.128
33	35	25	4.700	1.284	72	68.5	60.5	8.000	2.186
34	36	28	4.100	1.120	73	70	60	7.240	1.978
35	40	20	9.220	2.519	74	70	63	10.100	2.760
36	40	30	5.400	1.475	75	72	50	20.800	5.683
37	40	36	2.720	0.743	76	73	58	15.000	4.098
38	41	30	6.260	1.710	77	73	63	10.400	2.842
39	42	38	2.480	0.678	78	74	70	4.600	1.257




ROUND PIPE



SR NO	OD	ID	WT /12FT	WT/MTR
79	75	65	11.180	3.055
80	76	50	25.500	6.967
81	76	57	19.750	5.396
82	76	63	14.100	3.852
83	76	70	6.750	1.844
84	76	73	3.500	0.956
85	80	60	21.950	5.997
86	80	70	11.920	3.257
87	80	71.5	9.500	2.596
88	81	66	17.111	4.675
89	82	39	40.240	10.995
90	82	76	7.240	1.978
91	84.2	80	5.180	1.415
92	85	80	6.400	1.749
93	88	84	5.800	1.585
94	89	68	24.870	6.795
95	89	76	16.720	4.568
96	89	82	8.560	2.339
97	90	86	5.700	1.557
98	92	82	7.750	2.117
99	93.5	88.5	7.050	1.926
100	94	75	21.900	5.984
101	95	90	7.180	1.962
102	96	90	8.900	2.432
103	96.3	90.3	8.330	2.276
104	99	94	7.450	2.036
105	101	87	20.250	5.533
106	101	89	17.640	4.820
107	101	95	9.300	2.541
108	104	89	22.469	6.139
109	105	78	38.400	10.492
110	108	101	11.670	3.189
111	114	101	21.200	5.792
112	114	107	11.900	3.251
113	118	98	31.550	8.620
114	120	107	23.010	6.287
115	120	114	10.900	2.978
116	127	114	24.340	6.650
117	127	120	12.840	3.508
118	127	121.2	11.200	3.060
119	129	125	7.900	2.158
120	145.5	132.8	17.960	4.907
121	150	136	31.100	8.497
122	160	140	46.700	12.760
123	160	152	19.400	5.301




U /C CHANNEL



Sr.NO	A	B	T	WT/12FT	WT/MTR
1	9	9	0.8	0.200	0.055
2	9.6	15.3	1.15	0.420	0.115
3	9.9	10	0.9	0.340	0.093
4	10	15.25	1	0.430	0.117
5	10	16	1	0.400	0.109
6	12	12	0.6	0.210	0.057
7	12	12	1.2	0.420	0.115
8	12	15.45	2	0.780	0.213
9	15	15	1	0.440	0.120
10	15	12	1.7	0.420	0.115
11	15	15	2.25	0.920	0.251
12	18	14	1.2	0.520	0.142
13	19	12	1.5	0.450	0.123
14	20	20	1.4	0.750	0.205
15	20	25	2	1.300	0.355
16	25	12	1.1	0.550	0.150
17	25	12	1.95	0.900	0.246
18	31	15	1.1	0.650	0.178
19	33	50	3	3.750	1.025
20	35	13	1	0.550	0.150
21	38	12	1	0.550	0.150
22	38	19	3	2.200	0.601
23	38	19	4	2.570	0.702
24	38	25	2	1.600	0.437
25	38	50	4	5.100	1.393
26	40	40	3	3.290	0.899
27	45	25	3	2.700	0.738
28	45	25	4	3.430	0.937
29	50	25	1.2	1.160	0.317
30	50	25	3	2.780	0.760
31	50	25	6	5.160	1.410
32	50	50	3	4.200	1.148
33	75	38	6	8.200	2.240
34	100	50	5	9.900	2.705
35	100	50	6	11.050	3.019
36	100	50	8	14.420	3.940
37	150	50	6	13.900	3.798




T- SECTION



SR. NO	A	B	T	WT/12FT	WT/MTR
1	12	12	2	0.430	0.117
2	19	19	0.9	0.310	0.085
3	19	19	1.7	0.590	0.161
4	20	30	1.2	0.580	0.158
5	25	25	1.15	0.540	0.148
6	25	25	1.5	0.700	0.191
7	31	31	2.5	1.460	0.399
8	38	38	4	2.800	0.765
9	50	50	2.35	2.300	0.628
10	75	50	2.5	3.100	0.847



E-SECTION




SR. NO.	A	B	T	WT/12 FT	WT/12 FT
1	15	12	0.75	0.330	0.090
2	19	12	0.6	0.270	0.074
3	19	12	1	0.550	0.150
4	22	12	0.6	0.330	0.090
5	22	12	0.75	0.450	0.123
6	22	12	1	0.550	0.150
7	22	12	1.15	0.640	0.175
8	25	12	0.95	0.565	0.154
9	31	15	1.4	1.000	0.273



Darshan Extrusions Pvt. Ltd.


Die No. 1701

0.519 Kg/m
0.683 kg/m
0.846 kg/m




Die No. 1721

0.519 Kg/m
0.683 kg/m
0.846 kg/m




Die No. 1480

0.732 Kg/m




Die No. 1481

0.833 Kg/m




Die No. 1771

1.502 Kg/m
2.377 kg/m




Die No. 1791

1.502 Kg/m
2.431 kg/m




Die No. 3503

0.732 Kg/m



Die No. 1901

0.074 Kg/m




PARTITION




Darshan Extrusions Pvt. Ltd.


Die No. 1741 0.573 Kg/m
0.846 kg/m




Die No. 2601 0.573 Kg/m




Die No. 1761 0.628 Kg/m




Die No. 2751 0.819 Kg/m




Die No. 1773 2.076 Kg/m




Die No. 1770 1.120 Kg/m



Die No. 1775 1.010 Kg/m



Die No. 1778 1.065 Kg/m




PARTITION



Darshan Extrusions Pvt. Ltd.

Die No. 1181

1.393 Kg/m




PARTITION



Darshan Extrusions Pvt. Ltd.


Die No. 16082

0.503Kg/m




Die No. 19361

0.475Kg/m




Die No. 16083

0.530Kg/m




Die No. 16084

0.579Kg/m



Die No. 16085

0.600Kg/m




25 MM MOLDING HANDLES



Darshan Extrusions Pvt. Ltd.


Die No. 16087

0.430 Kg/m




Die No. 16088

0.335 Kg/m




Die No. 21012

0.403 Kg/m




Die No. 5228

1.606 Kg/m




Die No. 21013

0.990 Kg/m




Die No. 7048

0.635 Kg/m




Die No. 7049

0.222 Kg/m



Die No. 7050

0.306 Kg/m




PARTITION




Die No. 7017

0.367 Kg/m




Die No. 7018

0.367 Kg/m




Die No. 7019

0.595 Kg/m




Die No. 7020

0.506 Kg/m




Die No. 7021

0.594 Kg/m




Die No. 7022

1.453 Kg/m



Die No. 7023

1.116 Kg/m






Darshan Extrusions Pvt. Ltd.


Die No. 19613

1.595 Kg/m




Die No. 19954

0.600 Kg/m




Die No. 19628

1.111 Kg/m



Die No. 19629

0.985 Kg/m




CLIP: 4006 & 4007

CLIP: 4006 & 4007


Die No. 19631

1.366 Kg/m



Die No. 19630

1.020 Kg/m



CLIP: 4006 & 4007

CLIP: 4006 & 4007


PARTITION



Darshan Extrusions Pvt. Ltd.


Die No. 1268

0.412 Kg/m




Die No. 19739

0.347 Kg/m




Die No. 19740

0.292 Kg/m




Die No. 23019

0.534 Kg/m




Die No. 16086

0.710 Kg/m




Die No. 16185

0.623 Kg/m




Die No. 10139

0.691 Kg/m



Die No. 10140

0.769 Kg/m




PARTITION



Darshan Extrusions Pvt. Ltd.


Die No. 19815

2.208 Kg/m




Die No. 19814

1.320 Kg/m



Die No. 19813

0.899 Kg/m




PARTITION



Darshan Extrusions Pvt. Ltd.


Die No. 16045

0.498 Kg/m




Die No. 16252

4.461 Kg/m



Die No. 16068



1.486 Kg/m



PARTITION





Die No. 1531 0.900 kg/12FT





Die No.	W / 12FT
1571	0.900-1.000
1571	1.000-1.200
1571	1.200-1.400
1571	1.400-1.600
1571	1.600-1.800
1571	1.800-2.000

Die No. 1532 1.250 kg/12FT




Die No.	W / 12FT
1552	1.200-1.400
1552	1.400-1.600
1552	1.600-1.800
1552	1.800-2.000


Die No. 19825 1.400 kg/12FT



Die No.	W / 12FT
1592	0.900-1.000
1592	1.000-1.200
1592	1.200-1.400
1592	1.400-1.600
1592	1.600-1.800
1592	1.800-2.000



Die No.	W / 12FT
1593	1.000 - 1.200
1593	1.200 - 1.400




Die No.	W / 12FT
1631	1.000-1.200
1631	1.200-1.400
1631	1.400-1.600
1631	1.600-1.800
1631	1.800-2.000




Die No. 1525

2.110 kg/12FT




Die No. 1526

2.309 kg/12FT




Die No. 1527

1.950 kg/12FT




Die No. 1534

1.550 kg/12FT




Die No. 1533

2.050 kg/12FT




Die No. 16134

1.450 kg/12FT




Die No. 16142

2.150 kg/12FT



Die No. 1526 L


1.848 kg/12FT






Die No. 1528

1.500 kg/12FT




Die No. 1529

1.610 kg/12FT




Die No. 1505

1.560 kg/12FT




Die No. 1501

1.550 kg/12FT




Die No. 1530

1.620 kg/12FT




Die No. 1510

1.700 kg/12FT



Die No. 2841


0.357 Kg/m







Die No. 1101

0.950 kg/12FT




Die No. 1102

1.080 kg/12FT




1121	1.200-1.400
1121	1.400-1.600
1121	1.600-1.800
1121	1.800-2.000




Die No.	W / 12FT
1122	1.400-1.600
1122	1.600-1.800
1122	1.800-2.000


Die No. 20015

1.400 kg/12FT






Die No.	W / 12FT
19464	1.800-2.000
19464	2.200-2.400
19464	2.400-2.600
19464	2.600-2.800
19464	2.800-3.000




Die No.	W / 12FT
19463	1.800-2.000
19463	2.200-2.400
19463	2.400-2.600
19463	2.600-2.800
19463	2.800-3.000



Die No.	W / 12FT
1150	2.800 - 3.000
1150	3.000 - 3.300
1150	3.300 - 3.600
1150	3.600 - 4.000


Die No. 1162



Die No.	W / 12FT
1162	3.300 - 3.600
1162	3.600 - 4.000
1162	4.500 - 5.000
1162	6.000 - 6.500




Die No. 1167



Die No.	W / 12FT
1167	3.600 - 4.000
1167	4.000 - 4.500
1167	5.000- 5.500

Die No. 1168




Die No.	W / 12FT
1168	4.500 - 5.000
1168	5.000 - 5.500
1168	6.000 - 6.500




Die No. 16091

3.280 kg/12FT




Die No. 16092

1.260 kg/12FT




Die No. 3003

3.350 /12FT



Die No. 19905


6.130 kg/12FT






Die No. 16035

1.830 kg/12FT




Die No. 16027

2.040 kg/12FT




Die No. 16028

2.160 kg/12FT




Die No. 16029

1.650 kg/12FT




Die No. 16031

2.250 kg/12FT




Die No. 16030

2.670 kg/12FT




Die No. 16032

2.880 kg/12FT



Die No. 16033


3.619 kg/12FT






Die No. 16189

0.542Kg/m




Die No. 16190

0.839Kg/m




Die No. 16191

1.121Kg/m



Die No. 16183


0.849Kg/m





Die No. 16184


0.542 Kg/m



CLIP: 16182


Die No. 16184 GROOVE

0.583 Kg/m



Die No. 19552


0.563 Kg/m



CLIP: 16182


Die No. 20032

0.429 Kg/m



Die No. 16182


0.238 Kg/m






Die No.16486

1.390 Kg/m



Die No.16487

1.774 Kg/m





Die No.16483

0.579 Kg/m


Die No.16484

0.601 Kg/m



Die No.16485


0.298 Kg/m






Die No. 7115

0.924Kg/m




Die No. 7116

1.301Kg/m




Die No. 7114

0.421 Kg/m




Die No. 7112


0.579Kg/m




Die No. 7113

0.262Kg/m







Die No.	Wt/ 12ft
1611	1.400-1.600
1611	1.600-1.800
1611	1.800-2.000
1611	2.000-2.200



Die No.	Wt/ 12ft
1615	1.800-2.000
1615	2.000-2.200
1615	2.400-2.600




Die No.	Wt/ 12ft
1612	1.600 - 1.800
1612	1.800-2.000




Die No.	Wt/ 12ft
1621	1.800 - 2.200
1621	2.000 - 2.200
1621	2.400 - 2.600
1621	2.800 - 3.000



Die No. 16026




Die No. 1340




Die No. 1340M

2.450 Kg/12FT




Die No. 1339

2.870Kg/12FT




Die No. 1341

2.570 Kg/12FT




Die No. 16165

2.780 Kg/12FT




Die No. 16166

2.940 Kg/12FT



Die No. 10059


2.490 kg/12FT






Die No. 16229

1.860 Kg/12FT




Die No. 16230

1.860 Kg/12FT




Die No. 1151

2.090 Kg/12FT




Die No. 1156

2.300 Kg/12FT




Die No. 1161

3.000 Kg/12FT
3.340 kg/12FT



Die No. 1166

3.560 Kg/12FT
4.000 Kg/12FT






Die No. 16080

4.200 Kg/12FT


4.800 Kg/12FT



Die No. 16081


5.215 Kg/12FT

6.100 Kg/12FT




Die No. 16146

6.200 Kg/12FT



Die No. 16147


7.300 Kg/12FT






Die No. 19459

3.870 Kg/12FT




Die No. 19426

5.930 Kg/12FT



Die No. 19820


5.280 Kg/12FT






Die No. 16119

0.962Kg/m




Die No. 16118

1.357Kg/m




Die No. 16120

0.583Kg/m



Die No. 16121

0.399 Kg/m




CLIP : 16121




Die No. 19454

0.722Kg/m




Die No. 19391

0.981Kg/m




Die No. 19453

1.343Kg/m




Die No. 19835

0.512Kg/m




Die No. 19389

0.502Kg/m




Die No. 19388

0.729Kg/m



Die No. 19387


0.575Kg/m






Die No. 19836

0.578Kg/m




Die No. 19386

0.567Kg/m



Die No. 19390


0.286Kg/m






Die No.19920

0.624Kg/m




Die No.19917

0.965Kg/m




Die No. 16423

0.566Kg/m




Die No.19656

0.908Kg/m




Die No.19677

0.814Kg/m




Die No.19678

1.176Kg/m




Die No. 16422

0.997Kg/m



Die No.19650


1.324Kg/m






Die No.19951

1.064Kg/m




Die No. 16424

0.454Kg/m




Die No.19916

0.647Kg/m




Die No.19913

0.402Kg/m




Die No.19475

0.661Kg/m




Die No.19950

0.601Kg/m



Die No.19662


0.251Kg/m






Die No. S7011

0.927 Kg/m




Die No. S7013

1.224 Kg/m




Die No. S7014

0.613 Kg/m




Die No. S7012

1.394 Kg/m



Die No. S7015


0.744 Kg/m






Die No. 19518

2.235Kg/m




Die No. 19519

1.792Kg/m




Die No. 19520

0.971Kg/m



Die No. 19913


0.402Kg/m






Die No. 7134

1.464 Kg/m



Die No. 7133


0.729 Kg/m






Die No. 21074

1.029 Kg/m




Die No. 21059

1.409 Kg/m




Die No. 23091

2.059 Kg/m



Die No. 21094


0.057 Kg/m






Die No. 1343

0.970Kg/m




Die No. 21041

0.879 kg/mtr




Die No. 1332

1.444Kg/m




Die No. 21042

1.303 kg/mtr




Die No. 28193

1.835Kg/m



Die No. 1333


0.690Kg/m



CLIP : 1331

Die No. 16180

0.675Kg/m




CLIP : 1331




Die No. 19735

0.644Kg/m




Die No. 1331

0.322Kg/m




Die No. 20028

0.549Kg/m




Die No. 20029

0.499Kg/m




Die No. 20065

1.204Kg/m




Die No.21096

1.154 Kg/m




Die No. 19376

0.680Kg/m



Die No. 19332


1.394 Kg/m






Die No. 2701

0.719Kg/m




Die No. 2702

0.871Kg/m




Die No. 2703

1.398Kg/m



Die No. 2704


1.905Kg/m





Die No. 2708


0.862Kg/m



CLIP :2709 & 16141

Die No. 2707


0.890Kg/m



CLIP :2709 & 16141

Die No. 2705


0.810 Kg/m



CLIP :2709 & 16141

Die No. 2706


0.838Kg/m



CLIP :2709 & 16141


Die No. 2709

0.273Kg/m



Die No. 2710


0.262Kg/m






Die No. 19371

1.535 Kg/m




Die No. 19372

2.167 Kg/m




Die No. 21044

0.701 kg/mtr
0.750 kg/mtr




Die No. 19370

0.797 Kg/m




Die No. 21043

0.308 kg/mtr



Die No. 21103


0.302 kg/mtr






Die No. 1211

0.693Kg/m




Die No. 1210

1.081Kg/m



Die No. 1212


0.755Kg/m
0.855Kg/m



CLIP : 1213


Die No. 1213

0.260Kg/m



Die No. 16177


1.262Kg/m



CLIP : 1213


Die No. 28197

0.681Kg/m



Die No. 28192


0.272Kg/m






Die No. 16197

1.108Kg/m




Die No. 16195

1.712Kg/m




Die No. 19474

1.107Kg/m




Die No. 16199

0.247Kg/m




Die No. 16200

0.860Kg/m




Die No. 16198

0.829Kg/m




Die No. 16209

1.180Kg/m



Die No. 16196


0.272Kg/m






Die No. 19625

1.865 Kg/m




Die No. 19626

1.185 kg/mtr




Die No. 19620

0.779 Kg/m



Die No. 19623


1.082 Kg/m






Die No. 16105

1.856Kg/m




Die No. 16106

0.970Kg/m




Die No. 16108

0.612Kg/m



Die No. 16107


1.347Kg/m






Die No. 16138

0.629Kg/m




Die No. 16137

1.112Kg/m




Die No. 16136

1.584 Kg/m




Die No. 16135

2.225Kg/m



Die No. 19537


3.091Kg/m






Die No. 16140

0.744Kg/m




Die No. 16139

0.723Kg/m




Die No. 19722

0.699Kg/m




Die No. 21019

0.794Kg/m




Die No. 16141

0.273Kg/m




Die No. 19469

0.177Kg/m




Die No. 19478

0.748Kg/m



Die No. 20017


0.117Kg/m






Die No. 21018

0.549Kg/m



Die No. 23108


1.014 g / m






Die No. 5117

1.394Kg/m




Die No. 5160

2.049Kg/m




Die No. 5178

1.720Kg/m




Die No. 5118

0.788Kg/m




Die No. 5123

0.785Kg/m



Die No. 5116


0.329Kg/m






Die No. 21036

0.745Kg/m




Die No. 21035

1.155Kg/m




Die No. 21038

0.663Kg/m




Die No. 16141

0.273Kg/m



Die No. 21039


1.026Kg/m






Die No.19542

0.548Kg/m




Die No.19543

1.218Kg/m




Die No.19544

1.657Kg/m



Die No. 19545


0.103 Kg/m






Die No. 19671

1.826Kg/m




Die No. 16462

2.083Kg/m




Die No. 19669

0.871g/m





Die No. 19670

0.717Kg/m




Die No. 19672
0.094Kg/m

Die No. 19674
0.218Kg/m



Die No. 19673


1.380Kg/m






Die No. 16218

1.387Kg/m




Die No. 16205

2.006Kg/m




Die No.19901

1.985Kg/m



Die No. 16206


0.826Kg/m



CLIP : 19444 & 2709

Die No.19444


0.267Kg/m






Die No. 2812

0.770Kg/m




Die No. 2813

0.690Kg/m




Die No. 2814

0.834Kg/m



Die No. 2815


1.141Kg/m






Die No. 2903

0.491Kg/m




Die No. 2901

1.097Kg/m




Die No. 2902

1.723Kg/m




Die No. 2904

0.877Kg/m




Die No. 2905

0.892Kg/m




Die No. 2906

0.820Kg/m



Die No. 2907


0.836Kg/m






Die No. 2908

0.148Kg/m




Die No. 2909

0.357Kg/m




Die No. 2910

0.275Kg/m



Die No. 2911


0.282Kg/m






Die No. 30005

0.718 Kg/m




Die No. 30006

0.834 Kg/m




Die No. 30007

0.709 Kg/m




Die No. 30001

0.819 Kg/m




Die No. 30002

1.33 Kg/m



Die No. 30003


1.085 Kg/m






Die No. 30004

1.819Kg/m



Die No. 16245


1.759Kg/m






Die No. 16009

0.080Kg/m




Die No. 16004

1.312Kg/m




Die No. 16005

1.760Kg/m




Die No. 16006

0.863 kg/m




Die No. 16008

0.182Kg/m




Die No. 23020

0.543Kg/m



Die No. 16007


0.685Kg/m






Die No. 7128

1.057Kg/m




Die No. 7129

0.812Kg/m




Die No. 19624

1.128Kg/m




Die No. 19623

1.082Kg/m




Die No. 19622

0.318Kg/m




Die No. 19621

0.795Kg/m




Die No. 19619

0.304Kg/m



Die No. 16013


0.543Kg/m






Die No. 16012

0.194Kg/m




Die No. 16063

0.307Kg/m



Die No.19822


1.039Kg/m






Die No. 16066

1.450 Kg/m




Die No. 19452

1.827 Kg/m




Die No. 19640

2.137 Kg/m




Die No. 16192

2.365 Kg/m




Die No. 19443

0.988 Kg/m



Die No. 16193


1.035 Kg/m






Die No.20026

0.684Kg/m




Die No.20027

0.633Kg/m




Die No.20066

1.321Kg/m




Die No.21095

1.275Kg/m



Die No. 16194


0.380Kg/m






Die No. 21047

1.309Kg/m



Die No. 21048

1.909Kg/m





Die No. 16193

1.037Kg/m

Die No. 19443

0.988Kg/m





Die No. 20026

0.684Kg/m

Die No. 20027


0.633Kg/m






Die No.20066

1.321Kg/m




Die No.21095

1.275Kg/m



Die No. 16194


0.380Kg/m





Die No. 28180


1.033Kg/m



RAIL :- 28183

Die No. 28181


0.276Kg/m



RAIL :- 28183

Die No. 28182


1.678Kg/m



RAIL :- 28183


Die No. 28150

1.132Kg/m




Die No. 28152

1.011Kg/m



Die No. 28183


0.126Kg/m






Die No. 28153

0.779Kg/m




Die No. 28154

0.922Kg/m




Die No. 28148

1.417Kg/m



Die No. 28151


1.093Kg/m






Die No. 16054

1.214Kg/m




Die No. 16049

0.832Kg/m




Die No. 16050

0.798Kg/m



Die No. 16051


0.846Kg/m






Die No. 16223

1.574 Kg/m




Die No. 16222

2.226 Kg/m




Die No. 16221

1.042 Kg/m




Die No. 16220

1.126 Kg/m



Die No. 16219


0.792 Kg/m






Die No. 2842

0.110Kg/m




Die No. 2844

1.104Kg/m



Die No. 2845


0.414Kg/m






Die No. 5167

1.354Kg/m




Die No. 19380

1.615Kg/m




Die No. 5168

1.315Kg/m




Die No. 5154

1.371Kg/m



Die No. 5166


4.123Kg/m






Die No. 7080

0.295Kg/m




Die No. 6293

2.523Kg/m




Die No. 7079

0.295Kg/m




Die No. 7081

0.744Kg/m




Die No. 7083

0.527Kg/m



Die No. 7085


0.061Kg/m






Die No. 3703

0.310Kg/m




Die No. 3704

0.342Kg/m




Die No. 3705

0.329Kg/m




Die No. 3706

0.361Kg/m




Die No. 3707

0.689Kg/m



Die No. 3708


0.314Kg/m






Die No. 19709

1.115Kg/m




Die No.S4969

0.819Kg/m



Die No. 7082

0.426Kg/m






Darshan Extrusions Pvt. Ltd.


Die No.19401

0.183Kg/m




Die No.19400

0.280Kg/m




Die No.19635

0.135Kg/m




Die No.19634

0.174Kg/m




Die No.19523

0.121Kg/m




Die No.19521

0.184Kg/m



Die No.19522

0.117Kg/m




LED



Darshan Extrusions Pvt. Ltd.


Die No. 19686

0.110 Kg/m




Die No. 19687

0.210 Kg/m




Die No. 19693

0.285 Kg/m




Die No. 19692

0.653 Kg/m




Die No. 19001

0.220 Kg/m




Die No. 19000

0.374 Kg/m



Die No. PB-4-3

0.418 Kg/m




LED



Darshan Extrusions Pvt. Ltd.


Die No. PB-4-2

0.963Kg/m



Die No. 19601

0.987Kg/m




Die No.10204

1.067Kg/m



Die No. 19602

1.243Kg/m




Die No.1302

1.057Kg/m



Die No. 19110

1.572Kg/m




LED



Darshan Extrusions Pvt. Ltd.


Die No. 1266

1.023 Kg/m




Die No. 16025

1.217 Kg/m




Die No. 16024

1.125 Kg/m




Die No. 19373

1.228 Kg/m



Die No. 19106

1.083 Kg/m




LED



Darshan Extrusions Pvt. Ltd.


Die No. 19732

1.648Kg/m




Die No. 19734

0.455Kg/m




Die No. 19904

0.485Kg/m




Die No. 19907

0.469Kg/m




Die No. 1267

0.761Kg/m




Die No. 19437

0.458Kg/m



Die No. 19701

0.451Kg/m




LED



Darshan Extrusions Pvt. Ltd.


Die No. 23005

0.264Kg/m




Die No. 23007

0.286Kg/m




Die No. 23006

0.078Kg/m




Die No. 19741

0.797Kg/m




Die No. 19158

0.966Kg/m



Die No. 16164

1.077Kg/m




LED



Darshan Extrusions Pvt. Ltd.


Die No. 19908

1.106 Kg/m




Die No. 19173

0.906Kg/m




Die No. 19202

1.008Kg/m




Die No. 19168

1.056Kg/m



Die No. 19203

0.383Kg/m




LED



Darshan Extrusions Pvt. Ltd.


Die No. 19190

0.897Kg/m




Die No. 19325

0.808Kg/m




Die No. 1276

1.690Kg/m




Die No. 19716

0.917Kg/m




Die No. 19198

0.918Kg/m



Die No. 19455

0.904Kg/m




LED



Darshan Extrusions Pvt. Ltd.


Die No. 19193

0.985Kg/m




Die No. 19191

1.107Kg/m




Die No. 1080

0.301Kg/m




Die No. 1301

0.453Kg/m




Die No. 19614

0.388Kg/m




Die No. 19729

0.325Kg/m




Die No. 19167

0.296Kg/m



Die No. 19166

0.417Kg/m




LED




Die No. 1275

0.145Kg/m




Die No. 19530

0.117Kg/m




Die No. 19529

0.850Kg/m




Die No. 19531

0.554Kg/m




Die No. 19723

0.190Kg/m




Die No. 19676

0.351Kg/m




Die No. 1238

0.327Kg/m



Die No. 1250

0.453Kg/m






Darshan Extrusions Pvt. Ltd.


Die No. 1248

0.522Kg/m




Die No. 19467

1.183Kg/m




Die No. 19183

0.485Kg/m




Die No. 1079

0.311Kg/m




Die No. 1237

0.209Kg/m




Die No. 1249

0.512Kg/m




Die No. 1264

0.443Kg/m



Die No. 1242

1.433Kg/m




LED



Darshan Extrusions Pvt. Ltd.


Die No. 23018

0.435 Kg/m




Die No. 19375

0.452 Kg/m




Die No. 1240

0.562 Kg/m




Die No. 19733

1.343 Kg/m




Die No. 20035

2.081 Kg/m




Die No. 20036

3.016 Kg/m



Die No. 1251

1.123 Kg/m




LED



Darshan Extrusions Pvt. Ltd.


Die No.1278

1.313Kg/m




Die No.1271

1.437Kg/m




Die No.1245

0.690Kg/m




Die No. 1252

1.384Kg/m




Die No. 19962

0.903 Kg/m



Die No.1244

0.665Kg/m




LED



Darshan Extrusions Pvt. Ltd.


Die No.19074

2.730Kg/m




Die No.19075

2.120Kg/m



Die No.19076

2.370Kg/m




LED



Darshan Extrusions Pvt. Ltd.


Die No. 16241

0.750Kg/m



Die No. 1428

1.507Kg/m




LED




Die No.19456

0.594Kg/m




Die No.19457

0.479Kg/m




Die No.19727

0.585Kg/m



Die No.19728


0.206Kg/m






Die No.4001

0.545Kg/m




Die No.4002

0.700Kg/m




Die No.4003

0.898Kg/m




Die No.4004

0.897Kg/m




Die No.4005

1.386Kg/m




Die No.4006

0.207Kg/m



Die No.4007


0.202Kg/m






Die No.4008

0.386Kg/m




Die No.4009

0.163Kg/m




Die No.4010

0.661Kg/m




Die No.4011

0.211Kg/m




Die No.16048

0.665Kg/m




Die No.16047

0.806Kg/m



Die No.16055


0.701Kg/m






Die No.16021

0.716Kg/m




Die No.19458

0.231Kg/m




Die No.1383

0.268Kg/m




Die No.1382

0.551Kg/m




Die No.19713

0.876Kg/m



Die No.19717


0.451Kg/m






Die No.5103

0.788Kg/m




Die No.5101

0.909Kg/m




Die No.5102

0.909Kg/m




Die No.5173

0.956Kg/m




Die No.5169

0.947Kg/m




Die No.5151

1.092Kg/m




Die No.5157

0.844Kg/m



Die No.5110


0.906Kg/m






Die No.5109

1.137Kg/m




Die No.5108

1.137Kg/m




Die No.5367

0.581Kg/m




Die No.5170

0.956Kg/m




Die No.5137

1.612Kg/m



Die No.3820


1.920Kg/m






Die No.7870

2.283Kg/m



Die No.3819


2.528Kg/m






Die No.5185

0.279Kg/m




Die No.19643

0.275Kg/m




Die No.5150

0.268Kg/m



Die No.5149


0.246Kg/m






Die No.16100

1.033Kg/m




Die No.16101

1.003Kg/m




Die No.16102

0.612Kg/m




Die No.16126

0.660Kg/m




Die No.2854

0.578Kg/m




Die No.2853

0.866Kg/m




Die No.2856

0.203Kg/m



Die No.16099


0.208Kg/m






Die No.16096

0.434Kg/m




Die No.16097

0.781Kg/m




Die No.16098

0.260Kg/m




Die No.2855

0.288Kg/m



Die No.2852


0.590Kg/m






Die No.28155

0.837Kg/m




Die No.28157

1.093Kg/m




Die No.28159

0.532Kg/m



Die No.28161


1.108Kg/m






Die No.16256

0.132Kg/m




Die No.16254

0.890Kg/m




Die No.16255

0.962Kg/m




Die No.16257

0.049 Kg/m




Die No.16258

0.221Kg/m




Die No.19357

0.209Kg/m



Die No.19358


0.180Kg/m






Die No. 5001

0.807Kg/m




Die No. 5002

0.999Kg/m




Die No. 5003

1.138Kg/m




Die No. 5004

0.954Kg/m




Die No. 5005

1.206Kg/m




Die No. 5006

0.806Kg/m




Die No. 5007

1.080Kg/m



Die No. 5008


1.260Kg/m






Die No.5009

1.291Kg/m




Die No.5010

0.965Kg/m




Die No.5011

2.135 Kg/m




Die No.5012

2.291 Kg/m




Die No.5013

0.313Kg/m



Die No.5014


0.230Kg/m






Die No.5015

0.289Kg/m




Die No.5016

0.217Kg/m




Die No.5017

0.501Kg/m




Die No.5018

0.265Kg/m




Die No.16103

0.911Kg/m



Die No.16125


0.951Kg/m






Die No.19642

1.001Kg/m




Die No.19641

0.882Kg/m




Die No.19649

0.944Kg/m




Die No.19644

0.311Kg/m



Die No.19643


0.275Kg/m






Die No.28155

0.837Kg/m




Die No.28157

1.093Kg/m




Die No.28159

0.532Kg/m



Die No.28161


1.108Kg/m






Die No.16233

1.443Kg/m




Die No.16234

1.006Kg/m




Die No.16235

1.020Kg/m




Die No.16236

1.036Kg/m




Die No.16237

1.254Kg/m



Die No.16240


1.886Kg/m






Die No. 1439

1.057Kg/m




Die No. 1438

1.145Kg/m




Die No. 1441

2.011Kg/m




Die No. 1442

2.021Kg/m




Die No. 16239

1.065Kg/m



Die No. 19974


1.166Kg/m






Die No. 1440

1.528Kg/m




Die No. 1403

0.497Kg/m




Die No. 1407

1.395Kg/m



Die No. 19973


1.649Kg/m






Die No.28185

0.344Kg/m




Die No.28184

0.376Kg/m




Die No.16086

0.710Kg/m




Die No.16185

0.623Kg/m




Die No.7108

0.617Kg/m




Die No.28049

0.177Kg/m




Die No.28048

0.621Kg/m



Die No.28195


0.311Kg/m






Die No.16021

0.716Kg/m




Die No.16150

0.963Kg/m




Die No.10140

0.769Kg/m




Die No.16179

0.999Kg/m



Die No.1262


1.193Kg/m






Die No.1462

1.060Kg/m




Die No.1367

1.073Kg/m




Die No.16152

1.218Kg/m




Die No.16153

0.910Kg/m



Die No.16154


1.303Kg/m






Die No.19415

0.299Kg/m




Die No.19416

0.757Kg/m




Die No.19430

0.908 Kg/m




Die No.19710

0.441Kg/m



Die No.16268


1.839Kg/m






Die No.16262

1.460Kg/m




Die No.16263

2.159Kg/m



Die No.16264


1.754Kg/m






Die No.19431

1.439Kg/m




Die No.19539

0.769Kg/m




Die No.19540

1.691Kg/m




Die No.19541

0.186Kg/m




Die No.9027

0.812Kg/m



Die No.9028


0.610Kg/m






Die No.19664

1.354 Kg/m



Die No.19665

0.395 Kg/m






Darshan Extrusions Pvt. Ltd.


Die No.1258

0.464Kg/m




Die No.1257

0.616Kg/m




Die No.7036

0.478Kg/m




Die No.7035

0.633Kg/m




Die No.7033

0.552Kg/m




Die No.7034

0.714Kg/m




Die No.7031

0.356Kg/m



Die No.7032

0.533Kg/m




MODULAR



Darshan Extrusions Pvt. Ltd.


Die No.19088

0.429Kg/m




Die No.19089

0.643Kg/m




Die No.7130

0.620Kg/m




Die No.7131

0.726Kg/m




Die No.7087

0.710Kg/m




Die No.27027

0.359Kg/m




Die No.27026

0.473Kg/m



Die No.27028

0.670Kg/m




MODULAR



Darshan Extrusions Pvt. Ltd.


Die No.19078

0.608Kg/m




Die No.19077

0.886Kg/m




Die No.1259

0.368Kg/m




Die No.7088

0.494Kg/m




Die No.20048

0.439Kg/m




Die No.19383

0.352Kg/m




Die No.19011

0.560Kg/m



Die No.19119

0.299Kg/m




MODULAR



Darshan Extrusions Pvt. Ltd.


Die No.1289

0.504Kg/m




Die No.1292

0.316Kg/m




Die No.19471

0.406Kg/m




Die No.19472

0.276Kg/m




Die No.1483

0.146 kg/m




Die No.19124

0.240Kg/m




Die No.1291

0.253Kg/m



Die No.1294

0.130Kg/m




MODULAR



Darshan Extrusions Pvt. Ltd.


Die No.1295

0.113Kg/m




Die No.1290

0.118Kg/m




Die No.1293

0.131Kg/m




Die No.19026

0.424Kg/m




Die No.19068

0.100Kg/m




Die No.1500

0.273Kg/m




Die No.10009

0.726Kg/m



Die No.10010

0.516Kg/m




MODULAR



Darshan Extrusions Pvt. Ltd.


Die No.1235

0.341Kg/m




Die No.1236

0.339Kg/m




Die No.1485

0.126Kg/m




Die No.19125

0.129Kg/m




Die No.1484

0.173Kg/m




Die No.19123

0.279Kg/m




Die No.7024

0.163Kg/m



Die No.7025

0.255Kg/m




MODULAR



Darshan Extrusions Pvt. Ltd.


Die No.7040

0.461Kg/m




Die No.7041

0.380Kg/m




Die No.7045

1.543Kg/m




Die No.19830

0.599Kg/m




Die No.7044

1.174Kg/m




Die No.7062

0.961Kg/m




Die No.7042

1.778Kg/m



Die No.7043

1.468Kg/m




MODULAR




Darshan Extrusions Pvt. Ltd.


Die No. 7063 1.357Kg/m




Die No. 7064 1.736Kg/m




Die No. 19838 0.767Kg/m




Die No. 19948 1.362Kg/m




Die No. 1296 0.552Kg/m




Die No. 13000 0.140Kg/m



Die No. 19658 0.621Kg/m



Die No. 19657 0.790Kg/m




MODULAR



Darshan Extrusions Pvt. Ltd.


Die No.20053

0.631Kg/m




Die No.19837

1.818Kg/m




Die No.19967

0.188Kg/m




Die No.19668

0.737Kg/m




Die No.16410

0.467Kg/m




Die No.16412

0.631Kg/m




Die No.16411

0.539Kg/m



Die No.16413

0.577Kg/m




MODULAR



Darshan Extrusions Pvt. Ltd.


Die No. 19498

0.542 Kg/m




Die No. 19499

0.233 Kg/m




Die No. 19486

0.426 Kg/m




Die No. 20056

0.305 Kg/m




Die No. 19485

0.074 Kg/m




Die No. 19487

0.316 Kg/m




Die No. 21027

0.457 Kg/m



Die No. 21028

0.345 Kg/m




MODULAR



Darshan Extrusions Pvt. Ltd.


Die No. 21029

0.092 Kg/m




Die No. 21040

0.333 Kg/m




Die No. 19156

0.457 Kg/m




Die No. 19157

0.311 Kg/m




Die No. 1203

0.680 Kg/m




Die No. 1204

0.429 Kg/m




Die No. 19445

0.457 Kg/m



Die No. 19446

0.341 Kg/m




MODULAR



Darshan Extrusions Pvt. Ltd.


Die No.16405

0.299Kg/m




Die No.16406

0.375Kg/m




Die No.20025

0.259Kg/m




Die No.20031

0.295Kg/m




Die No.20091

0.211Kg/m




Die No.20092

0.279Kg/m




Die No.19807

0.946Kg/m



Die No.19808

0.311Kg/m




MODULAR



Darshan Extrusions Pvt. Ltd.


Die No. 23024

0.730Kg/m




Die No. 19754

1.193Kg/m




Die No. 16402

0.319Kg/m




Die No. 16403

0.859Kg/m




Die No. 19742

0.559Kg/m




Die No. 19743

0.706Kg/m




Die No. 19744

0.620Kg/m



Die No. 19745

0.648Kg/m




MODULAR



Darshan Extrusions Pvt. Ltd.


Die No.16404

1.052Kg/m




Die No.16408

1.235 Kg/m




Die No.16409

3.311Kg/m




Die No.16414

2.380Kg/m



Die No.16407

3.022Kg/m




MODULAR



Darshan Extrusions Pvt. Ltd.


Die No.23115

0.568 Kg/m




Die No.23116

0.457 Kg/m




Die No.23117

0.164 Kg/m




Die No.23101

0.265 Kg/m




Die No.23102

0.169 Kg/m




Die No.16467

0.966 Kg/m



Die No.16468

0.713 Kg/m




MODULAR



Darshan Extrusions Pvt. Ltd.


Die No.16469

0.373 Kg/m




Die No.16470

0.364 Kg/m



Die No.16471

0.456 Kg/m




MODULAR




Die No. 7096

1.601Kg/m



Die No. 7097


2.658Kg/m






Die No. 21054

0.361 Kg/m




Die No. 21057

0.887 Kg/m




Die No. 21055

1.321 Kg/m



Die No. 21056


1.682 Kg/m





Die No. 19360


0.659 Kg/m






Die No. 27065

0.802 Kg/m




Die No. 19646

1.279 Kg/m




Die No. 19645

1.789 Kg/m



Die No. 7106


1.775 Kg/m






Die No. 9230

2.87 Kg/m



Die No. P60626


2.927 Kg/m






Die No. 27030

2.083Kg/m



Die No.19413


1.617Kg/m






Die No.20008

1.514Kg/m




Die No. 27029

1.321Kg/m



Die No. 20002


1.683Kg/m






Die No. 28136

1.620 Kg/m




Die No.20007

1.898 Kg/m



Die No.16238


2.413 Kg/m






Die No.19414

2.432Kg/m




Die No. 28135

2.007Kg/m



Die No. 28134


2.530Kg/m






Die No. 20001

2.470 Kg/m




Die No. 20006

2.740 Kg/m



Die No. P61362


2.743 Kg/m






Die No.19424

1.326 Kg/m



Die No. 19423


2.671 Kg/m






Die No. 27008

1.520 Kg/m




Die No. 27009

2.158 Kg/m



Die No. 16214

1.370 Kg/m






Darshan Extrusions Pvt. Ltd.

Die No. 27010

3.070 Kg/m




57 MM SERIES




Die No. 1392

2.020 Kg/m




Die No. 2820

2.486 Kg/m



Die No. P70633


1.832 Kg/m






Die No. 1400

3.025Kg/m




Die No. 19998

3.008Kg/m



Die No. 19957


2.774Kg/m






Die No. 19558

2.442 Kg/m




Die No. 19410

3.178 Kg/m



Die No. 19409


3.189 Kg/m






Die No. P70631

3.331 Kg/m




Die No. P71240

2.762 Kg/m



Die No. 19555


3.364 Kg/m






Die No. 20010

3.539Kg/m




Die No. 20013

2.740Kg/m



Die No. 20011


1.970Kg/m






Die No. 28214

1.661Kg/m




Die No. 27016

1.210Kg/m



Die No.19470


1.821Kg/m






Die No. 27014

2.393Kg/m




Die No. 27015

1.730Kg/m



Die No.P61267


2.535Kg/m






Die No.P61301

2.514Kg/m




Die No.4094

2.968Kg/m



Die No.P61303


2.913Kg/m






Die No. P60286

2.979 Kg/m



Die No. 19554


2.842 Kg/m






Die No. 1208

1.292Kg/m



Die No. 27013


3.546Kg/m






Die No. 7071

1.184Kg/m




Die No. 7074

1.667Kg/m



Die No. 7072

2.062Kg/m






Darshan Extrusions Pvt. Ltd.

Die No.7073

1.609Kg/m




70 MM SERIES




Die No. 2851

0.877Kg/m




Die No. 2850

0.468Kg/m




Die No. 1353

0.381Kg/m




Die No. 1354

0.302Kg/m




Die No. 7078

0.307Kg/m




Die No. 7075

0.323Kg/m




Die No. 28139

0.545Kg/m



Die No. 28138


0.383Kg/m






Die No. 27011

0.395Kg/m




Die No. 27012

0.335Kg/m




Die No. 23021

0.604Kg/m




Die No. 23022

0.429Kg/m




Die No. 19975

1.515Kg/m




Die No. 19976

1.334Kg/m




Die No. 1381

0.600Kg/m



Die No. 1380


1.174Kg/m






Die No. 7139

0.736 Kg/m




Die No. 28140

1.045 Kg/m




Die No. 19411

1.101 Kg/m




Die No. 21026

1.310 Kg/m



Die No. 21025

0.689 Kg/m




Clip :-Die No. 23021

Clip :-Die No. 7078


Die No. 7046

0.549 Kg/m



Die No. 7047


0.189 Kg/m





Die No.19396


0.427Kg/m



TOGGLE : 16159


Die No.19397

0.500Kg/m




Die No.19412

0.597Kg/m




Die No.19425

0.465Kg/m




Die No.19609

0.814Kg/m



Die No.10202


0.662Kg/m



TOGGLE : 7077

Die No.19465


0.735Kg/m



TOGGLE : 1232

Die No.19491


1.295Kg/m






Die No.23008

0.539Kg/m



Die No. 1394


0.679Kg/m



TOGGLE : 7077


Die No. 1395

0.819Kg/m



Die No. 1207


0.548Kg/m



TOGGLE : 1232

Die No. 7076


0.846Kg/m



TOGGLE : 1396

Die No. 1231


0.444Kg/m



TOGGLE : 1232

Die No. 1393


0.842Kg/m



TOGGLE : 7077

Die No. 16162


0.637Kg/m





Die No. 16158


0.334Kg/m



TOGGLE : 16159

Die No. 27066


0.567Kg/m



TOGGLE : 1396


Die No.19748

0.667 Kg/m



Die No. 20003


0.504Kg/m



TOGGLE : 7077

Die No.20009


0.717Kg/m



TOGGLE : 7077


Die No.20012

0.911Kg/m




Die No.28213

0.518Kg/m



Die No.20052


0.583Kg/m






Die No. 19354

0.305Kg/m




Die No. 19356

0.230Kg/m




Die No. 7098

0.260Kg/m




Die No. 1396

0.253Kg/m




Die No. 1397

0.231Kg/m




Die No. 7077

0.293Kg/m




Die No. 16159

0.145Kg/m



Die No. 1232

0.205Kg/m






Darshan Extrusions Pvt. Ltd.


Die No. 19326

2.036Kg/m




Die No. 19327

0.249Kg/m




Die No. 19328

1.779Kg/m



Die No. 19329

1.556Kg/m




85 MM UNITIZED GLAZING



Darshan Extrusions Pvt. Ltd.


Die No. 19330

2.382Kg/m



Die No. 19331

1.348Kg/m




85 MM UNITIZED GLAZING



Darshan Extrusions Pvt. Ltd.


Die No. 1404

2.072 Kg/m



Die No. 1406

1.070 Kg/m



Die No. 1408

2.906 Kg/m


100 MM UNITIZED GLAZING



Darshan Extrusions Pvt. Ltd.


Die No.1444

0.649Kg/m




Die No.1413

1.735Kg/m




Die No.1402

0.198Kg/m



Die No.1445

0.190Kg/m




100 MM UNITITIZED SYSTEM



Darshan Extrusions Pvt. Ltd.


Die No.27001

1.739Kg/m




Die No.27004

1.442Kg/m




Die No.27005

2.504Kg/m



Die No.27006

0.976Kg/m




116 MM UNITIZED SYSTEM



Darshan Extrusions Pvt. Ltd.


Die No.27000



2.013Kg/m


Die No.27002

2.143Kg/m



Die No.27003

1.628Kg/m




116 MMUNITIZED SYSTEM



Darshan Extrusions Pvt. Ltd.


Die No. 27050

2.478Kg/m



Die No. 27051

2.244Kg/m




120 MM UNITIZED GLAZING



Darshan Extrusions Pvt. Ltd.


Die No. 27052

1.418Kg/m




Die No. 27053

1.829Kg/m



Die No. 27054

1.946Kg/m




120 MM UNITIZED GLAZING



Darshan Extrusions Pvt. Ltd.


Die No. 27055

2.467Kg/m




Die No. 27057

0.295Kg/m




Die No. 27058

0.296Kg/m




Die No. 27059

0.402Kg/m




Die No. 27056

0.309Kg/m



Die No. 27060

0.392Kg/m




120 MM UNITIZED GLAZING



Darshan Extrusions Pvt. Ltd.


Die No. 27061

3.126Kg/m



Die No. 19909

3.680Kg/m




120 MM UNITIZED GLAZING



Darshan Extrusions Pvt. Ltd.


Die No.27032

2.717Kg/m




Die No.27034

2.702Kg/m




Die No.27033

1.935Kg/m



Die No.27035

0.450Kg/m




140 MM UNITIZED SYSTEM



Darshan Extrusions Pvt. Ltd.

Die No.27031

2.533Kg/m




140 MM UNITIZED SYSTEM



Darshan Extrusions Pvt. Ltd.


Die No.23096

2.692Kg/m




Die No.23097

2.415Kg/m



Die No.23099

2.722Kg/m




160 MM UNITIZED SYSTEM



Darshan Extrusions Pvt. Ltd.


Die No.23100

3.704Kg/m



Die No.23098

2.255Kg/m




160 MM UNITIZED SYSTEM



Darshan Extrusions Pvt. Ltd.


Die No. 28160

1.118 Kg/m




Die No. 19977

0.310 Kg/m




Die No. 16203

0.598 Kg/m




Die No. 16204

1.927 Kg/m



Die No. 16213

2.383 Kg/m




BULL NOSE



Darshan Extrusions Pvt. Ltd.


Die No. 19435

0.872Kg/m




Die No. 19436

1.096Kg/m




Die No. 16212

2.758Kg/m




Die No. 19615

0.693Kg/m



Die No. 19923

0.693Kg/m




BULL NOSE



Darshan Extrusions Pvt. Ltd.


Die No. 19616

3.015Kg/m




Die No. 16211

3.019Kg/m




Die No. 19960

1.511 Kg/m



Die No. 19959

0.693 Kg/m




BULL NOSE



Darshan Extrusions Pvt. Ltd.


Die No. 19922

2.551 Kg/m



Die No. 19961

1.785 Kg/m




BULL NOSE



Darshan Extrusions Pvt. Ltd.


Die No. 1284

0.757Kg/m




Die No. 28205

0.454Kg/m




Die No. 19107

0.913Kg/m




Die No. 28206

0.200Kg/m




Die No. 1387

0.926Kg/m




Die No. 7093

1.267Kg/m




Die No. 7094

1.086Kg/m



Die No. 7095

0.978Kg/m




ARCHITECUTRAL



Darshan Extrusions Pvt. Ltd.


Die No. 19036

0.237Kg/m




Die No. 19037

2.133Kg/m




Die No. 11101

5.067Kg/m




Die No. 19038

2.083Kg/m




Die No. 19127

0.508Kg/m



Die No. 1356

1.539Kg/m




ARCHITECUTRAL



Darshan Extrusions Pvt. Ltd.


Die No. 19060

0.608Kg/m




Die No. 1285

0.641Kg/m




Die No. 1466

0.605Kg/m




Die No. 401

0.120Kg/m




Die No. 19126

3.158Kg/m



Die No. 1426

1.267Kg/m




ARCHITECUTRAL



Darshan Extrusions Pvt. Ltd.


Die No. 19061

0.829Kg/m




Die No. 19065

1.144Kg/m




Die No. 7110

0.232Kg/m




Die No. 19128

0.163Kg/m




Die No. 27022

0.632Kg/m



Die No. 19132

0.766Kg/m
0.669Kg/m




ARCHITECUTRAL



Darshan Extrusions Pvt. Ltd.


Die No. 27020

0.771Kg/m



Die No. 27023


0.671Kg/m



Die No. 27021


140.7

1.634Kg/m




Die No. 7091

1.380Kg/m




Die No. 27024

0.782Kg/m



Die No. 7092

1.435Kg/m




ARCHITECUTRAL



Darshan Extrusions Pvt. Ltd.


Die No. 19164

1.060Kg/m




Die No. 19170

1.342Kg/m




Die No. 19171

0.383Kg/m




Die No. 19172

0.422Kg/m




Die No. 19175

0.432Kg/m




Die No. PD-101

0.779Kg/m



Die No. 19176

1.536Kg/m






Darshan Extrusions Pvt. Ltd.


Die No. 19610

3.554 Kg/m




Die No. PD-102

0.917 Kg/m




Die No. 19827

1.668 Kg/m




Die No. 11320

0.197 Kg/m



Die No. 21001

0.253 Kg/m




ARCHITECUTRAL



Darshan Extrusions Pvt. Ltd.


Die No. 16011

0.307Kg/m




Die No. 16016

0.071Kg/m




Die No. 19476

0.555 Kg/m




Die No. 7050

0.306 g/m




Die No. 1468

0.191Kg/m




Die No. 1461

0.112Kg/m




Die No. 1410

0.248Kg/m



Die No. 1453

0.264Kg/m




ARCHITECUTRAL




Die No. 1360

1.527Kg/m




Die No. 1361

1.088Kg/m




Die No. 1455

0.828Kg/m




Die No. 1359

1.663Kg/m




Die No. 1456

1.869Kg/m



Die No. 1357

1.053Kg/m




BRACKETS



Darshan Extrusions Pvt. Ltd.


Die No. 1370

0.164Kg/m




Die No. 1369

0.917Kg/m




Die No. 1300

0.504Kg/m




Die No. 1324

0.823Kg/m




Die No. 1323

0.827Kg/m



Die No. 1358

1.887Kg/m




ARCHITECUTRAL



Darshan Extrusions Pvt. Ltd.


Die No. 1424

1.577Kg/m




Die No. 1423

0.541Kg/m




Die No. 1406

0.997 Kg/m




Die No. 1430

0.476Kg/m




Die No. 1429

1.599 Kg/m



Die No. 1233

1.060Kg/m




ARCHITECUTRAL



Darshan Extrusions Pvt. Ltd.


Die No. 1234

0.623Kg/m




Die No. 1450

0.556Kg/m




Die No. 1448

1.275Kg/m




Die No. 1472

0.215Kg/m




Die No. 1474

1.459Kg/m




Die No. 1327

0.393Kg/m



Die No. 1375

1.642Kg/m






Darshan Extrusions Pvt. Ltd.


Die No. 19146

1.506 Kg/m



Die No. 19147

1.601 Kg/m



(


ARCHITECUTRAL



Darshan Extrusions Pvt. Ltd.


Die No.7069

0.130Kg/m




Die No.19711

0.179Kg/m




Die No.19473

0.244Kg/m
0.212Kg/m




Die No.19712

0.216Kg/m




Die No.19406

0.652Kg/m




Die No.19484

0.510Kg/m




Die No.19369

0.465Kg/m



Die No.19826

0.493Kg/m




BLINDS



Darshan Extrusions Pvt. Ltd.


Die No.19405

0.251Kg/m




Die No.7068

0.270Kg/m




Die No.19921

0.478Kg/m




Die No.19918

1.005Kg/m




Die No.19505

0.402Kg/m




Die No.19513

0.265Kg/m




Die No.19919

0.822Kg/m



Die No.19715

0.584Kg/m




BLINDS



Darshan Extrusions Pvt. Ltd.


Die No.19028

0.358Kg/m




Die No.19697

0.736Kg/m




Die No.19507

0.283Kg/m




Die No.19029

0.474Kg/m




Die No.19504

0.377Kg/m




Die No.19516

0.488Kg/m




Die No.19632

0.779Kg/m



Die No.19633

0.870Kg/m




BLINDS



Darshan Extrusions Pvt. Ltd.


Die No.19408

0.193Kg/m




Die No.19404

0.047Kg/m




Die No.19964

0.386Kg/m




Die No.19963

0.442Kg/m




Die No.19682

0.389Kg/m




Die No.19681

0.764 Kg/m




Die No.7086

0.469Kg/m



Die No.19514

0.449Kg/m




BLINDS



Darshan Extrusions Pvt. Ltd.


Die No.19707

0.195Kg/m




Die No. 7495

0.226 Kg/m




Die No.19714

0.681Kg/m




Die No.19506

0.402Kg/m




Die No.19032

0.323Kg/m




Die No.19033

0.436Kg/m




Die No.19034

0.338Kg/m



Die No.19515

0.488Kg/m




BLINDS



Darshan Extrusions Pvt. Ltd.


Die No.19333

0.529Kg/m




Die No.7124

1.035Kg/m



Die No.19517

1.307Kg/m




BLINDS



Darshan Extrusions Pvt. Ltd.


Die No.19027

1.453 Kg/m



Die No.1265

1.090 Kg/m



BLINDS



Darshan Extrusions Pvt. Ltd.


Die No.19698

0.578Kg/m




Die No.19680

1.134 Kg/m




Die No.19679

0.622Kg/m



Die No.7070

0.373Kg/m




BLINDS




Die No.7067

0.209Kg/m




Die No.19030

0.427Kg/m



Die No.7060

0.158Kg/m






Darshan Extrusions Pvt. Ltd.


Die No.71129

0.812Kg/m




Die No.1222

0.579Kg/m




Die No.19142

4.932Kg/m



Die No.1243

0.620Kg/m




AUTOMOBILE



Darshan Extrusions Pvt. Ltd.


Die No.19501

5.237Kg/m




Die No.19502

3.219Kg/m




Die No.19546

7.431Kg/m



Die No.19547

4.558Kg/m




AUTOMOBILE



Darshan Extrusions Pvt. Ltd.


Die No.19548

4.190Kg/m




Die No.20744

5.707 Kg/m



Die No.19143

8.140 Kg/m




AUTOMOBILE



Darshan Extrusions Pvt. Ltd.


Die No.19144

8 . 260 Kg/m



Die No.20740

6. 024 Kg/m




AUTOMOBILE




Die No.20741

7.538 Kg/m



Die No.20742

4.253 Kg/m






Darshan Extrusions Pvt. Ltd.

Die No.20743

3 . 70 Kg/m




AUTOMOBILE




Darshan Extrusions Pvt. Ltd.


Die No. 19052 1.697 Kg/m




Die No. 19702 1.095 Kg/m




Die No. 19603 1.365 Kg/m




Die No. 7053 1.387 Kg/m




Die No. 7127 1.028 Kg/m




Die No. 19150 0.967 Kg/m



Die No. 20061 1.455 Kg/m



Die No. 21076 1.199 Kg/m




RAILING




Darshan Extrusions Pvt. Ltd.


Die No. 1391 0.833Kg/m




Die No. 19151 0.925Kg/m




Die No. 1390 0.358Kg/m




Die No. 19118 0.260Kg/m




Die No. 7118 0.295Kg/m




Die No. 19154 0.062Kg/m



Die No.20090 1.392Kg/m



Die No. 19985 1.829Kg/m




RAILING



Darshan Extrusions Pvt. Ltd.


Die No. 20071

0.590 Kg/m




Die No. 19207

1.134 Kg/m




Die No. 19010

1.569 Kg/m




Die No. 19141

5.854 Kg/m



Die No. 21032

2.435 Kg/m




RAILING



Darshan Extrusions Pvt. Ltd.


Die No. 9555

4.905Kg/m




Die No. 9260

3.439Kg/m



Die No. 1411


2.815Kg/m



CLIP :-1390

Die No. 19551

3.075Kg/m




RAILING



Darshan Extrusions Pvt. Ltd.


Die No. 9259

2.683 Kg/m




Die No. 21061

2.211 Kg/m




Die No. 19149

3.15 Kg/m



Die No. 7117

4.428 Kg/m



CLIP :-7118


RAILING



Darshan Extrusions Pvt. Ltd.


Die No. 7136

1.944 Kg/m




Die No.P-8041

4.991Kg/m




Die No.9565

4.244Kg/m



Die No. 19549





6.039Kg/m



RAILING



Darshan Extrusions Pvt. Ltd.




RAILING




Darshan Extrusions Pvt. Ltd.


Die No. 9564 6.114Kg/m




Die No. 19559 6.105Kg/m



Die No. 19148 7.278Kg/m



Die No. 9162 5.424Kg/m




RAILING



Darshan Extrusions Pvt. Ltd.


Die No. 9528

8.166 Kg/m



Die No. 19982

6.021 Kg/m




RAILING



Darshan Extrusions Pvt. Ltd.


Die No. 9067

8.228 Kg/m



Die No. 19942

0.764Kg/m




RAILING



Darshan Extrusions Pvt. Ltd.

Die No. 9065

5.577Kg/m




RAILING



Darshan Extrusions Pvt. Ltd.


Die No. 7038

0.097 Kg/m




Die No. 7107

0.230 Kg/m




Die No. 7052

0.193 Kg/m




Die No. 1337

0.181 Kg/m




Die No. 19072

0.292 Kg/m




Die No. 19073

0.488 Kg/m




Die No. 5229

0.291 Kg/m



Die No. 5230

0.490 Kg/m




HARDWARE



Darshan Extrusions Pvt. Ltd.


Die No. 19063

0.250 Kg/m




Die No. 19064

0.240 Kg/m




Die No. 19109

0.381 Kg/m




Die No. 1005

0.261 Kg/m




Die No. 19071

0.618 Kg/m




Die No. 5231

0.755 Kg/m




Die No. 1385

0.294 Kg/m



Die No. 1386

0.187 Kg/m






Darshan Extrusions Pvt. Ltd.


Die No. 19103

0.075Kg/m




Die No. 1270

0.165Kg/m




Die No. 1306

0.081Kg/m




Die No. 19092

0.421Kg/m




Die No. 19105

0.162Kg/m




Die No. 19100

0.415Kg/m




Die No. 19694

0.327Kg/m



Die No. 16501

0.199Kg/m






Darshan Extrusions Pvt. Ltd.


Die No. 19684

0.136Kg/m




Die No. 19683

1.090Kg/m




Die No.19468

0.413Kg/m




Die No. 7140

0.457Kg/m




Die No. 19047

0.472Kg/m




Die No. 19091

1.193Kg/m




Die No.19013

0.854Kg/m



Die No.19924

0.345Kg/m






Darshan Extrusions Pvt. Ltd.


Die No. 19012

2.758 Kg/m




Die No. 7058

2.149Kg/m




Die No.19812

1.715Kg/m




Die No. 19832

1.770Kg/m




Die No.19120

1.918Kg/m




Die No.19647

0.939Kg/m



Die No. 16046

0.517Kg/m






Darshan Extrusions Pvt. Ltd.


Die No. 19112

0.521Kg/m




Die No. 19084

1.689Kg/m




Die No. 16186

0.962Kg/m



Die No. 1205


0.619Kg/m






Die No. 1206

0.907 Kg/m




Die No. 19705

0.947 Kg/m



Die No. 10201

0.988 Kg/m



Die No. 16231

1.706 Kg/m





Darshan Extrusions Pvt. Ltd.


Die No. 1304

0.194 Kg/m




Die No. 1374

0.358 Kg/m




Die No. 16210

0.664 Kg/m




Die No. 1449

0.492 Kg/m




Die No. 19611

0.706 Kg/m



Die No. 20034

0.564 Kg/m




LOUVERS SECTION



Darshan Extrusions Pvt. Ltd.


Die No. 1470

0.981 Kg/m




Die No. 28103

0.808 Kg/m




Die No. 16215

0.725 Kg/m



Die No. 28104

1.246 Kg/m




LOUVERS SECTION




Die No. 19022

0.410 Kg/m




Die No. 16201

0.545 Kg/m




Die No. 1338

0.578 Kg/m




Die No. 16202

0.916 Kg/m




Die No. 16114

0.889 Kg/m




Die No. 5497

0.583 Kg/m



Die No. 19121

1.297 Kg/m




LOUVERS SECTION




Die No. 19612

2.570 Kg/m




Die No. 16034

0.738 Kg/m




Die No. 1209

0.977 Kg/m



Die No. 16093

1.257 Kg/m






Darshan Extrusions Pvt. Ltd.


Die No. 19344

0.534 Kg/m




Die No. 19348

0.374 Kg/m




Die No. 19345

0.405 Kg/m




Die No. 19349

0.489 Kg/m




Die No. 19346

0.339 Kg/m




Die No. 19347

0.318 Kg/m




Die No. 19494

0.370 Kg/m



Die No. 19495

0.155 Kg/m




Mesh



Darshan Extrusions Pvt. Ltd.


Die No. 19828

0.426 Kg/m




Die No. 19829

0.314 Kg/m




Die No. 19667

0.484 Kg/m




Die No. 19378

0.391 Kg/m




Die No. 19986

0.337 Kg/m




Die No. 19984

0.319 Kg/m




Die No. 19753

0.303 Kg/m



Die No. 21024

0.521 Kg/m




Mesh



Darshan Extrusions Pvt. Ltd.


Die No.19379

0.111Kg/m



Die No.19378A

0.306Kg/m




Mesh



Darshan Extrusions Pvt. Ltd.


Die No. 16187

0.573 Kg/m
0.683 Kg/m
0.792 Kg/m




Die No. 9616

0.683 Kg/m
0.765 Kg/m
0.928 Kg/m




Die No. 16127

0.683 Kg/m
0.792 kg/m
0.956 kg/m




Die No. 16188

0.956 Kg/m
1.065 Kg/m




Die No. 16163

1.092 Kg/m
0.956Kg/m
1.338 kg/m




Die No. 9617

0.683 Kg/m




Die No. 16130

0.737 Kg/m
0.792 kg/m



Die No. 16128

0.792 Kg/m
0.901 kg/m




SLOTTED TUBES



Darshan Extrusions Pvt. Ltd.


Die No. 16161

0.956 Kg/m
1.065 kg/m
1.420 kg/m




Die No. 16129

1.010 Kg/m
1.174 kg/m




Die No. 19949

1.420 Kg/m




Die No. 1307

1.495 kg/m




Die No. 19708

1.091 Kg/m




Die No. 21014

1.439 kg/m




Die No. 21015

1.429 Kg/m



Die No. 21016

1.199 kg/m




SLOTTED TUBE



Darshan Extrusions Pvt. Ltd.


Die No. 21017

0.516 Kg/m




Die No. 21030

0.778 Kg/m



Die No. 21031

0.506 Kg/m




SLOTTED TUBE



Darshan Extrusions Pvt. Ltd.


Die No.19056

0.352Kg/m




Die No.19169

0.429Kg/m




Die No.19057

0.392Kg/m




Die No.19181

0.661Kg/m




Die No.19131

0.389Kg/m




Die No.19006

0.389Kg/m




Die No.19159

0.203Kg/m



Die No.19163

0.205Kg/m




SOLAR



Darshan Extrusions Pvt. Ltd.


Die No.19069

0.809Kg/m




Die No.19432

0.750Kg/m




Die No.19811

0.277Kg/m




Die No.19831

0.247Kg/m




Die No. 19130

0.260Kg/m




Die No.10203

0.358Kg/m




Die No.7001

0.786Kg/m



Die No.19051

0.695Kg/m




SOLAR



Darshan Extrusions Pvt. Ltd.


Die No.7002

0.647Kg/m




Die No.7003

0.590Kg/m




Die No.19135

0.551Kg/m




Die No.19162

0.909Kg/m




Die No.7006

0.495Kg/m




Die No.7037

0.822Kg/m




Die No.7047

0.189Kg/m



Die No.7048

0.632Kg/m




SOLAR



Darshan Extrusions Pvt. Ltd.


Die No.7049

0.222Kg/m




Die No.19054

0.921Kg/m




Die No.7004

0.757Kg/m




Die No.19196

0.972Kg/m




Die No.19039

0.617Kg/m




Die No.19005

0.681Kg/m




Die No.19374

2.876Kg/m



Die No.19133

0.749Kg/m




SOLAR




Die No.19040

0.534Kg/m




Die No.19043

0.565Kg/m




Die No.19044

0.606Kg/m




Die No.19055

0.529Kg/m




Die No.20055

0.656Kg/m




Die No.19070

0.403Kg/m



Die No.19004


0.576Kg/m






Die No.7028

1.176Kg/m




Die No.7027

2.489Kg/m




Die No.7026

0.269Kg/m



Die No.19042

3.465Kg/m






Darshan Extrusions Pvt. Ltd.


Die No.19041

4.561Kg/m




Die No.19488

3.022Kg/m




Die No.19097

1.458Kg/m



Die No.16104

1.593Kg/m




SOLAR



Darshan Extrusions Pvt. Ltd.


Die No.19007

1.218Kg/m




Die No.19087

1.030Kg/m




Die No.16217

1.298Kg/m




Die No.19433

1.669Kg/m



Die No.19999

1.254Kg/m




SOLAR



Darshan Extrusions Pvt. Ltd.


Die No.19165

1.217Kg/m




Die No.19160

1.286Kg/m




Die No.19079

1.056Kg/m



Die No.21020

1.309Kg/m




SOLAR



Darshan Extrusions Pvt. Ltd.


Die No. 19420

0.431 Kg/m




Die No. 16143

0.652 Kg/m




Die No. 19749

0.436 Kg/m




Die No. 16144

0.744 Kg/m




Die No. 16145

0.942 Kg/m




Die No. 16018

0.568 Kg/m



Die No. 16017

0.450 Kg/m




SUBFRAME



Darshan Extrusions Pvt. Ltd.


Die No. 16019

0.590 Kg/m




Die No. 16020

0.795 Kg/m




Die No. 7039

0.959 Kg/m



Die No. 19394

1.136 Kg/m




SUBFRAME



Darshan Extrusions Pvt. Ltd.


Die No.10260

0.255Kg/m




Die No.10068

0.129Kg/m




Die No.10034

0.168Kg/m




Die No.10092

0.313Kg/m




Die No.10093

0.434Kg/m




Die No.19508

0.203Kg/m




Die No.19509

0.213Kg/m



Die No.19510

0.390Kg/m




TOWER BOLTS








Darshan Extrusions Pvt. Ltd.

Die No.19511

0.259Kg/m



TOWER BOLTS


Die No.1287 0.299Kg/m 	Die No.1281 0.579Kg/m 
Die No.1288 1.164Kg/m 	
Die No.19002 1.966Kg/m 	
Die No.19003 2.068Kg/m 	



Darshan Extrusions Pvt. Ltd.


Die No.7061

2.336Kg/m




Die No.19019

6.452Kg/m




Die No.19020

4.967Kg/m



Die No.19018

0.393Kg/m




HEAT SINK



Darshan Extrusions Pvt. Ltd.


Die No.19137

1.423Kg/m




Die No.19138

2.030Kg/m




Die No.19139

4.140Kg/m



Die No.19140

3.481Kg/m




HEAT SINK



Darshan Extrusions Pvt. Ltd.


Die No.19067

1.736Kg/m




Die No.19524

4.418Kg/m




Die No.19525

3.217Kg/m




Die No.19526

2.176Kg/m



Die No.19818


2.750Kg/m



HEAT SINK


Die No.23009

3.175Kg/m




Die No.19958

9.823Kg/m




Die No.19819

2.291Kg/m




Die No.19385

3.244Kg/m




Die No.19381

0.093Kg/m




Die No.19382

0.151 Kg/m




Die No.19532

1.161 Kg/m




Die No.19392

2.551 Kg/m




Die No.19533

1.098 Kg/m




Die No.19393

1.747 Kg/m




Die No.19535

0.624 Kg/m



Die No.19534

0.667 Kg/m






Darshan Extrusions Pvt. Ltd.


Die No. 1415

0.715Kg/m




Die No. 1417

0.728Kg/m




Die No. 1416

0.672Kg/m




Die No. 1418

0.716Kg/m




Die No. 1335

0.885Kg/m




Die No. 1336

0.567Kg/m




Die No. 19058

0.672Kg/m



Die No. 19385

0.811Kg/m




HINDGE



Darshan Extrusions Pvt. Ltd.

Die No. 19384

0.857Kg/m




HINDGE




Die No. 2869

0.822Kg/m




Die No. 2870

0.820Kg/m




Die No. 2871

0.755Kg/m




Die No. 2872

0.752Kg/m




Die No. 28106

0.672Kg/m




Die No. 28107

0.672Kg/m




Die No. 2873

1.258Kg/m



Die No. 2874

1.247Kg/m




CORNER CLEATS



Darshan Extrusions Pvt. Ltd.


Die No. 2883

1.363Kg/m




Die No. 2884

1.094Kg/m




Die No. 7090

1.236Kg/m




Die No. 19136

1.706Kg/m




Die No. 16052

1.052Kg/m



Die No. 16053

1.241Kg/m



CORNER CLEATS