




Darshan Extrusions Pvt. Ltd.


Die No. 1284

0.757Kg/m




Die No. 19107

0.940Kg/m




Die No. 1387

0.926Kg/m




Die No. 7093

1.267Kg/m




Die No. 7094

1.086Kg/m



Die No. 7095

0.978Kg/m




TILES CLADDING



Darshan Extrusions Pvt. Ltd.


Die No.19180

0.253Kg/m




Die No.19343

0.282Kg/m




Die No.19353

1.120Kg/m




Die No.19354

0.305Kg/m




Die No.19355

0.134Kg/m




Die No.19356

0.230Kg/m




Die No.19407

0.895Kg/m



Die No.19903

0.440Kg/m




TITLE CLADING



Darshan Extrusions Pvt. Ltd.


Die No.P60848

2.791Kg/m




Die No.P61188

0.853Kg/m



Die No.P61188

0.853Kg/m




TILES CLADING



Darshan Extrusions Pvt. Ltd.


Die No.16426

0.841Kg/m




Die No.16545

1.410Kg/m




Die No.16435

0.160Kg/m



Die No.21181

1.087Kg/m




TITLE CLADING



Darshan Extrusions Pvt. Ltd.


Die No.16436

0.142Kg/m




Die No.21180

0.403Kg/m




Die No.16544

1.432Kg/m



Die No.21192

1.675Kg/m






Darshan Extrusions Pvt. Ltd.


Die No.16415

0.209Kg/m




Die No.16416

0.158Kg/m




Die No.16417

0.260Kg/m




Die No.16419

0.068Kg/m




Die No.16429

0.079Kg/m




Die No.16430

0.259Kg/m




Die No.16434

0.321Kg/m



Die No.16420


0.408Kg/m






Die No.16421

0.606Kg/m




Die No.16428

0.732Kg/m




Die No.16425

0.641Kg/m



Die No.16418

1.333Kg/m






Darshan Extrusions Pvt. Ltd.


Die No.16427

0.881Kg/m




Die No.16431

0.979Kg/m



Die No.16432

0.732Kg/m



Die No.16433

0.978Kg/m

