




## FLAT BAR



SR.NO.	A	B	WT/M	WT/12FT	SR.NO.	A	B	WT/M	WT/12FT
1	12	2.5	0.082	0.300	39	30	10	0.847	3.100
2	12	3	0.098	0.360	40	30	12	0.984	3.600
3	12	6	0.199	0.730	41	30	16	1.036	3.790
4	12	5	0.164	0.600	42	31	19	1.525	5.580
5	16	6	0.260	0.950	43	32	1.5	0.137	0.500
6	16	10	0.437	1.600	44	35	1.75	0.164	0.600
7	18	2.5	0.123	0.450	45	35	6	0.571	2.090
8	18	5	0.246	0.900	46	35.5	40	1.338	4.900
9	19	1.5	0.071	0.260	47	38	2	0.205	0.750
10	19	2	0.109	0.400	48	38	3	0.328	1.200
11	19	2.5	0.128	0.470	49	38	5	0.508	1.860
12	19	2.8	0.148	0.540	50	38	9	0.937	3.430
13	19	3	0.154	0.563	51	38	12	1.246	4.560
14	19	3.5	0.156	0.570	52	38	25	2.568	9.400
15	19	5	0.260	0.950	53	40	2	0.216	0.790
16	19	6	0.328	1.200	54	40	3	0.317	1.160
17	19	12	0.650	2.380	55	40	4	0.437	1.600
18	20	3	0.178	0.650	56	40	5	0.574	2.100
19	20	5	0.273	1.000	57	40	6	0.656	2.400
20	20	6	0.342	1.250	58	40	8	0.869	3.180
21	20	10	0.555	2.030	59	40	10	1.093	4.000
22	22	20	1.202	4.400	60	40	12	1.311	4.800
23	25	1.5	0.104	0.380	61	40	12	1.366	5.000
24	25	2	0.137	0.500	62	40	15	1.639	6.000
25	25	2.7	0.178	0.650	63	40	16	1.754	6.420
26	25	3	0.205	0.750	64	50	2	0.268	0.980
27	25	4	0.265	0.970	65	50	3	0.432	1.580
28	25	5	0.342	1.250	66	50	4	0.546	2.000
29	25	6	0.402	1.470	67	50	5	0.683	2.500
30	25	8	0.527	1.930	68	50	6	0.806	2.950
31	25	10	0.678	2.480	69	50	8	1.093	4.000
32	25	12	0.820	3.000	70	50	10	1.339	4.900
33	25.6	2.8	0.191	0.700	71	50	10	1.380	5.050
34	30	1.8	0.158	0.580	72	50	12	1.639	6.000
35	30	3	0.246	0.900	73	50	16	2.186	8.000
36	30	5	0.410	1.500	74	50	25	3.383	12.380
37	30	6	0.434	1.590	75	56	3	0.451	1.650
38	30	8	0.656	2.400	76	60	3	0.492	1.800




## FLAT BAR



SR.NO.	A	B	WT/M	WT/12FT	SR.NO.	A	B	WT/M	WT/12FT
77	60	6	0.820	3.000	115	100	25	6.831	25.000
78	60	10	1.612	5.900	116	120	10	3.224	11.800
79	60	12	1.945	7.120	117	120	12	3.907	14.300
80	60	15	2.459	9.000	118	120	20	6.500	23.790
81	63	3	0.516	1.890	119	125	3	1.011	3.700
82	63	6	1.025	3.750	120	125	6	2.038	7.460
83	63	10	1.721	6.300	121	125	10	3.361	12.300
84	63	16	2.773	10.150	122	125	12	4.057	14.850
85	70	4	0.754	2.760	123	125	16	5.355	19.600
86	70	10	1.858	6.800	124	125	20	6.645	24.320
87	70	19	3.634	13.300	125	126	6	2.068	7.570
88	70	29	4.733	17.323	126	140	12	4.497	16.460
89	75	3	0.612	2.240	127	146	3	1.221	4.470
90	75	5	1.025	3.750	128	150	3	1.202	4.400
91	75	6	1.216	4.450	129	150	5	2.049	7.500
92	75	8	1.639	6.000	130	150	6	2.437	8.920
93	75	10	2.055	7.520	131	150	8	3.142	11.500
94	75	12	2.377	8.700	132	150	10	4.112	15.050
95	75	16	3.268	11.960	133	150	12	4.836	17.700
96	75	20	4.060	14.860	134	150	16	6.445	23.590
97	75	25	5.055	18.500	135	150	20	8.197	30.000
98	75	50	10.219	37.400	136	150	25	10.123	37.050
99	75.5	5	1.024	3.750	137	152	6	2.492	9.120
100	80	4	0.861	3.150	138	154	51.8	21.530	78.800
101	80	6	1.284	4.700	139	160	6	2.404	8.800
102	80	10	2.131	7.800	140	160	10	4.344	15.900
103	80	12	2.574	9.420	141	160	12	5.178	18.950
104	80	20	4.372	16.000	142	175	6	2.768	10.130
105	80	25	5.402	19.770	143	175	10	4.781	17.500
106	100	3	0.820	3.000	144	175	12	5.683	20.800
107	100	4	1.087	3.980	145	180	10	4.918	18.000
108	100	5	1.339	4.900	146	200	3	1.639	6.000
109	100	6	1.585	5.800	147	200	6	3.265	11.950
110	100	8	2.093	7.660	148	200	10	5.402	19.770
111	100	10	2.678	9.800	149	200	12.5	6.803	24.900
112	100	12	3.183	11.650	150	200	14	7.557	27.660
113	100	16	4.358	15.950	151	200	16	8.642	31.630
114	114	100	20	5.451					




## FLAT BAR ( R )



SR.NO.	A	B	R	WT/M	WT/12FT
1	18.7	4.55	2.28	0.230	0.840
2	20	1.5	0.75	0.079	0.290
3	25	3	1.5	0.205	0.750
4	25	6	3	0.355	1.300
5	25	10	5	0.628	2.300
6	30	10	5	0.751	2.750
7	36.5	15	2	1.467	5.370
8	40	6	3	0.628	2.300
9	40	10	5	1.022	3.740
10	40	28	3	3.032	11.100
11	50	6	3	0.833	3.050
12	50	10	5	1.311	4.800
13	50	12	6	1.612	5.900
14	50	13	6.5	1.653	6.050
15	50	15	5	1.913	7.000
16	50	15	7.5	2.022	7.400
17	60	10	5	1.557	5.700
18	63.5	12.7	6.35	2.178	7.970
19	80	6	3	1.311	4.800
20	80	10	5	2.104	7.700
21	100	6	3	1.639	6.000
22	100	10	5	2.650	9.700
23	126	6	3	2.066	7.560
24	150	16	8	6.311	23.100
25	150	20	10	7.773	28.450
26	175	6	3	2.869	10.500
27	25.4	2.95	2	0.191	0.700
28	40	18	3	3.033	11.100
29	60	10	3	0.230	0.840
30	75	10	3	2.027	7.420
31	80	10	3	2.077	7.600
32	100	10	5	2.691	9.850
33	120	16	2	5.126	18.760
34	120	10	3	3.197	11.700
35	125	10	3	3.224	11.800
36	125	10	5	3.333	12.200
37	150	10	5	4.005	14.660
38	150	12	6	4.863	17.800
39	150	16	8	6.338	23.200
40	160	10	3	4.344	15.900
41	200	10	5	5.355	19.601




## EQUAL ANGLE



SR.NO.	A	B	T	WT/M	WT/12FT	SR.NO.	A	B	T	WT/M	WT/12FT
1	12	12	1.4	0.087	0.320	32	38	38	2	0.383	1.400
2	15	15	1.5	0.120	0.440	33	38	38	2.3	0.464	1.700
3	15	15	2	0.156	0.570	34	38	38	2.55	0.519	1.900
4	19	19	0.7	0.071	0.260	35	38	38	2.7	0.533	1.950
5	19	19	1.1	0.107	0.390	36	38	38	3.2	0.628	2.300
6	19	19	1.2	0.120	0.440	37	38	38	3.3	0.656	2.400
7	19	19	1.9	0.197	0.720	38	38	38	4	0.801	2.930
8	19	19	1.85	0.178	0.650	39	38	38	5	0.984	3.600
9	19	19	2	0.205	0.750	40	38	38	6	1.148	4.200
10	19	19	2.5	0.246	0.900	41	50	50	1.5	0.410	1.500
11	19	19	3	0.301	1.100	42	50	50	2	0.533	1.950
12	19	19	1.5	0.158	0.580	43	50	50	2.5	0.669	2.450
13	19.5	19.5	2.2	0.219	0.800	44	50	50	3	0.779	2.850
14	20	20	2	0.219	0.800	45	50	50	4	1.066	3.900
15	22	22	2.5	0.287	1.050	46	50	50	4.7	1.208	4.421
16	25	25	1.2	0.153	0.560	47	50	50	5	1.306	4.780
17	25	25	1.45	0.186	0.680	48	50	50	6	1.598	5.850
18	25	25	1.5	0.205	0.750	49	60	60	4	1.298	4.750
19	25	25	2	0.246	0.900	50	63	63	3	1.011	3.700
20	25	25	2.1	0.273	1.000	51	63	63	6	1.934	7.080
21	25	25	2.2	0.301	1.100	52	65	65	3	1.052	3.850
22	25	25	2.5	0.314	1.150	53	75	75	3	1.224	4.480
23	25	25	3	0.361	1.320	54	75	75	5	1.945	7.120
24	25	25	6.5	0.874	3.200	55	75	75	6	2.445	8.950
25	30	30	3	0.475	1.740	56	75	75	10	3.784	13.850
26	31	31	2	0.328	1.200	57	100	100	3	1.478	5.410
27	31	31	3	0.492	1.800	58	100	100	5	2.705	9.900
28	31	31	5	0.773	2.830	59	100	100	6	3.126	11.440
29	31	31	6	0.962	3.520	60	100	100	10	5.137	18.800
30	38	38	1.35	0.273	1.000	61	150	150	4.5	2.404	8.800
31	38	38	1.4	0.273	1.000						




## UNEQUAL ANGLE



SR.NO.	A	B	T	WT/M	WT/12FT
1	17	15	1.5	0.128	0.470
2	19	12	1.5	0.115	0.420
3	25	9.5	1.75	0.156	0.570
4	25	15	2	0.219	0.800
5	25	16	2.5	0.238	0.870
6	25	19	2	0.224	0.820
7	30	15	2	0.232	0.850
8	35	22	2	0.301	1.100
9	38	25	5	0.779	2.850
10	38	25	3	0.464	1.700
11	38	25	2.5	0.396	1.450
12	38	25	2	0.314	1.150
13	38	25	1.6	0.273	1.000
14	38	25	1.5	0.246	0.900
15	40	20	3	0.486	1.780
16	50	25	4	0.792	2.900
17	50	25	3	0.590	2.160
18	55	35	2.2	0.511	1.870
19	58	25	2	0.448	1.640
20	63	50	6	1.733	6.342
21	65	25	3	0.642	2.350
22	75	50	2	0.669	2.450
23	75	50	4	1.339	4.900
24	75	50	3	0.940	3.440
25	85	50	6	1.967	7.200
26	80	50	5	1.749	6.400
27	100	50	6	2.322	8.500
28	100	50	5	2.063	7.550
29	100	50	3	1.2150	4.450
30	100	40	2.5	0.915	3.350
31	150	75	5	1.399	5.120
32	150	50	4.5	2.404	8.800




## ROUND PIPE



SR.NO.	OD	ID	WT/M	WT/12FT	SR.NO.	OD	ID	WT/M	WT/12FT
1	15.2	11.8	0.197	0.720	38	41	30	1.710	6.260
2	16.3	13.1	0.205	0.750	39	42	38	0.678	2.480
3	17	13	0.257	0.940	40	43	32	1.746	6.390
4	18	16.2	0.126	0.460	41	44.4	41.4	0.546	2.000
5	18	16.4	0.164	0.600	42	45	25	2.951	10.800
6	18.5	15.1	0.240	0.880	43	45	35	1.817	6.650
7	18.6	16.3	0.172	0.630	44	45	38	1.257	4.600
8	19	16.5	0.184	0.675	45	48	17	3.817	13.970
9	19.4	14.8	0.333	1.220	46	48	44	0.751	2.750
10	19.5	16.7	0.178	0.650	47	50	25	3.992	14.610
11	20	12	0.514	1.880	48	50	40	1.967	7.200
12	21	16	0.301	1.100	49	50	44	1.156	4.230
13	20	18	0.126	0.460	50	50	45.1	0.956	3.500
14	21.2	18.2	0.262	0.960	51	50	46	0.820	3.000
15	22	18	0.333	1.220	52	50.8	47.6	0.656	2.400
16	22.2	19.4	0.251	0.920	53	51	44	1.410	5.160
17	22.2	20.2	0.175	0.640	54	52	38	2.639	9.660
18	22.2	19.8	0.208	0.760	55	53	40	2.582	9.450
19	25	12	1.011	3.700	56	54	34	3.770	13.800
20	25	19	0.560	2.050	57	54	30	4.275	15.647
21	25	19	0.311	1.140	58	54.4	50	1.022	3.740
22	25	22	0.227	0.830	59	56	48.5	1.667	6.100
23	25.4	22.6	0.301	1.100	60	57	51	1.380	5.050
24	25.4	23.4	0.208	0.760	61	59.5	51	1.989	7.280
25	27	22	0.505	1.850	62	60	40	4.309	15.770
26	29	26.2	0.273	1.000	63	60	50	2.322	8.500
27	30	18	1.221	4.470	64	60	54	1.404	5.140
28	30	26	0.437	1.600	65	60	55	1.158	4.240
29	32	19	1.426	5.220	66	60	56	0.984	3.600
30	32	25	0.907	3.320	67	61	55	1.456	5.330
31	32	26	0.721	2.640	68	63	32	6.202	22.700
32	32	28	0.514	1.880	69	63	50	3.087	11.300
33	35	25	1.284	4.700	70	63	57	1.612	5.900
34	36	28	1.120	4.100	71	66	62	1.128	4.130
35	40	20	2.519	9.220	72	68.5	60.5	2.186	8.000
36	40	30	1.475	5.400	73	70	60	1.978	7.240
37	40	36	0.743	2.720	74	70	63	2.760	10.100




## ROUND PIPE



SR.NO.	OD	ID	WT/M	WT/12FT	SR.NO.	OD	ID	WT/M	WT/12FT
75	72	50	5.683	20.800	100	94	75	5.984	21.900
76	73	58	4.098	15.000	101	95	90	1.962	7.180
77	73	63	2.842	10.400	102	96	90	2.432	8.900
78	74	70	1.257	4.600	103	96.3	90.3	2.276	8.330
79	75	65	3.055	11.180	104	99	94	2.036	7.450
80	76	50	6.967	25.500	105	101	87	5.533	20.250
81	76	57	5.396	19.750	106	101	89	4.820	17.640
82	76	63	3.852	14.100	107	101	95	2.541	9.300
83	76	70	1.844	6.750	108	104	89	6.139	22.469
84	76	73	0.956	3.500	109	105	78	10.492	38.400
85	80	60	5.997	21.950	110	108	101	3.189	11.670
86	80	70	3.257	11.920	111	114	101	5.792	21.200
87	80	71.5	2.596	9.500	112	114	107	3.251	11.900
88	81	66	4.675	17.111	113	118	98	8.620	31.550
89	82	39	10.995	40.240	114	120	107	6.287	23.010
90	82	76	1.978	7.240	115	120	114	2.978	10.900
91	84.2	80	1.415	5.180	116	127	114	6.650	24.340
92	85	80	1.749	6.400	117	127	120	3.508	12.840
93	88	84	1.585	5.800	118	127	121.2	3.060	11.200
94	89	68	6.795	24.870	119	129	125	2.158	7.900
95	89	76	4.568	16.720	120	145	132.8	4.907	17.960
96	89	82	2.339	8.560	121	150	136	8.497	31.100
97	90	86	1.557	5.700	122	160	140	12.760	46.700
98	92	82	2.117	7.750	123	160	152	5.301	19.400
99	93.5	88.5	1.926	7.050					




## ROUND BAR



SR.NO.	D	WT/M	WT/12FT
1	8	0.137	0.500
2	10	0.205	0.750
3	12	0.314	1.150
4	15	0.792	2.900
5	16	0.327	1.198
6	19	0.779	2.850
7	20	0.847	3.100
8	27.2	1.995	7.300
9	31.7	2.145	7.850
10	38	3.063	11.210
11	42.5	3.825	14.000
12	71	10.683	39.100
13	80.4	13.689	50.100




## SQUARE BAR



SR.NO.	A	B	WT/M	WT/12FT
1	8	8	0.171	0.625
2	9.5	9.5	0.246	0.900
3	12	12	0.451	1.900
4	16.3	16.3	0.724	2.900
5	22	22	1.311	3.900




## SQUARE TUBE



SR.NO.	A	T	WT/M	WT/12FT
1	12.7	1.5	0.180	0.660
2	15.0	1.5	0.221	0.810
3	19	1.2	0.232	0.850
4	19	1.5	0.284	1.040
5	19	2	0.369	1.350
6	25	1	0.257	0.940
7	25	1.5	0.383	1.400
8	25	2	0.495	1.810
9	25	3	0.710	2.600
10	30	2	0.614	2.250
11	30	3	0.874	3.200
12	31	2	0.628	2.300
13	31	2.5	0.765	2.800
14	31	3	0.915	3.350
15	34	1.5	0.505	1.850
16	38	1.1	0.437	1.600
17	38	1.3	0.492	1.800
18	38	1.5	0.601	2.200
19	38	1.7	0.669	2.450
20	38	2	0.792	2.900
21	38	2.5	0.970	3.550
22	38	3	1.161	4.250
23	40	2.6	1.052	3.850
24	40	3.0	1.202	4.400
25	40	4	1.544	5.650
26	45	2	0.902	3.300
27	50	0.95	0.503	1.840
28	50	1.15	0.601	2.200
29	50	1.25	0.656	2.400
30	50	1.5	0.779	2.850
31	50	2	1.052	3.850
32	50	2.5	1.284	4.700
33	50	3	1.544	5.650
34	50	4	2.049	7.500
35	60	2.5	1.598	5.850
36	60	4.0	2.431	8.900
37	63	2.0	1.338	5.900
38	63	2.5	1.680	6.150
39	75	2	1.628	5.960
40	75	2.5	1.954	7.150
41	75	3	2.404	8.800
42	75	5	3.858	14.120
43	85	2.1	1.885	6.900
44	100	2	2.131	7.800
45	100	2.5	2.678	9.800
46	100	3	3.169	11.600
47	100	4	4.207	15.400




## RECTANGULAR TUBE



SR.NO.	A	B	T	WT/M	WT/12FT	SR.NO.	A	B	T	WT/M	WT/12FT
1	25	12	1.15	0.219	0.800	38	52.5	37.5	2	0.929	3.400
2	25	12	1.6	0.290	1.060	39	63	25	1	0.464	1.700
3	25	12	2	0.366	1.340	40	63	38	1	0.546	2.000
4	25	19	1	0.230	0.840	41	63	38	1.25	0.656	2.400
5	25	19	1.2	0.273	1.000	42	63	38	1.5	0.792	2.900
6	25	19	2	0.443	1.620	43	63	38	2	1.052	3.850
7	25	19	3.2	0.669	2.450	44	63	50	0.95	0.560	2.050
8	28	23	1.4	0.361	1.320	45	75	12	1.45	0.656	2.400
9	30	15	1.9	0.423	1.550	46	75	12	1.7	0.765	2.800
10	33	20	0.95	0.251	0.920	47	75	12	3.0	1.325	4.850
11	33	20	1.05	0.287	1.050	48	75	19	1	0.792	2.900
12	38	25	0.75	0.245	0.900	49	75	19	3	1.421	5.200
13	38	25	0.90	0.300	1.100	50	75	25	1	0.519	1.900
14	38	25	1.05	0.355	1.300	51	75	25	1.3	0.683	2.500
15	38	25	1.20	0.409	1.500	52	75	25	1.5	0.792	2.900
16	38	25	1.35	0.464	1.700	53	75	25	1.7	0.902	3.300
17	38	25	1.50	0.519	1.900	54	75	25	3	1.530	5.600
18	38	25	1.65	0.573	2.100	55	75	38	2	1.202	4.400
19	38	25	1.80	0.628	2.300	56	75	38	2.5	1.475	5.400
20	40	15	1.6	0.448	1.640	57	75	38	3	1.749	6.400
21	40	20	2.1	0.634	2.320	58	75	50	1.5	0.997	3.650
22	50	25	0.75	0.273	1.000	59	75	50	1.8	1.189	4.350
23	50	25	0.9	0.328	1.200	60	75	50	2	1.325	4.850
24	50	25	1	0.383	1.400	61	75	50	2.5	1.626	5.950
25	50	25	1.5	0.546	2.000	62	75	50	3	1.954	7.150
26	50	25	2	0.738	2.700	63	75	50	4	2.541	9.300
27	50	25	3	1.079	3.950	64	75	50	5	3.115	11.400
28	50	10	2	0.601	2.200	65	80	40	4	2.431	8.900
29	50	12	1.5	0.464	1.700	66	80	40	5	2.978	10.900
30	50	19	1.4	0.464	1.700	67	83	38	1	0.656	2.400
31	50	38	1.25	0.574	2.100	68	83	38	1.25	0.792	2.900
32	50	38	1.45	0.669	2.450	69	83	38	1.7	1.066	3.900
33	50	38	1.7	0.770	2.820	70	83	38	3	1.872	6.850
34	50	38	2	0.915	3.350	71	100	12	2.1	1.230	4.500
35	50	38	2.5	1.134	4.150	72	100	19	1.55	0.984	3.600
36	50	38	3	1.339	4.900	73	100	19	2	1.230	4.500
37	52.5	49.5	2	1.000	3.900	74	100	24	0.9	0.601	2.200











## RECTANGULAR TUBE



SR.NO.	A	B	T	WT/M	WT/12FT	SR.NO.	A	B	T	WT/M	WT/12FT
75	100	24	1.2	0.792	2.900	107	125	75	2	2.131	7.800
76	100	24	1.75	1.148	4.200	108	125	100	2.1	2.514	9.200
77	100	24	2.6	1.694	6.200	109	150	25	1.5	1.393	5.100
78	100	24	3.0	1.940	7.100	110	150	25	2.1	1.940	7.100
79	100	38	1.1	0.792	2.900	111	150	38	1.5	1.503	5.500
80	100	38	1.6	1.148	4.200	112	150	38	2	1.995	7.300
81	100	38	2	1.421	5.200	113	150	50	2	2.117	7.750
82	100	38	3	2.186	8.000	114	150	50	2.5	2.637	9.650
83	100	44	2.1	1.585	5.800	115	150	50	2.7	2.868	10.500
84	100	44	2.8	2.104	7.700	116	150	50	3	3.142	11.500
85	100	50	1.35	1.093	4.000	117	150	50	5	5.300	19.400
86	100	50	1.6	1.284	4.700	118	150	75	2	2.432	8.900
87	100	50	2	1.585	5.800	119	150	75	3	3.607	13.200
88	100	50	2.5	1.967	7.200	120	150	75	4	4.699	17.200
89	100	50	3	2.350	8.600	121	150	100	2	2.677	9.800
90	100	50	5	3.852	14.100	122	200	50	2	2.677	9.800
91	100	75	2	1.858	6.800						
92	100	75	3	2.760	10.100						
93	101.5	44.5	2	1.544	5.650						
94	115	65	2	1.913	7.000						
95	115	65	3	2.841	10.400						
96	117	25	1.3	1.011	3.700						
97	120	53	3	2.760	10.100						
98	125	25	1.2	0.929	3.400						
99	125	25	1.45	1.148	4.200						
100	125	25	1.65	1.311	4.800						
101	125	25	2.1	1.694	6.200						
102	125	25	2.6	2.049	7.500						
103	125	38	1.2	1.038	3.800						
104	125	38	1.45	1.257	4.600						
105	125	38	1.6	1.393	5.100						
106	125	50	2.2	2.022	7.400						



# Darshan Extrusions Pvt. Ltd.

<p>Die No. 16187</p> <p>0.573 Kg/m 0.683 Kg/m 0.792 Kg/m</p> 	<p>Die No. 9616</p> <p>0.683 Kg/m 0.765 Kg/m 0.928 Kg/m</p> 
<p>Die No. 16127</p> <p>0.683 Kg/m 0.792 kg/m 0.956 kg/m</p> 	<p>Die No. 16188</p> <p>0.956 Kg/m 1.065 Kg/m</p> 
<p>Die No. 16163</p> <p>1.092 Kg/m 0.956Kg/m 1.338 kg/m</p> 	<p>Die No. 9617</p> <p>0.683 Kg/m</p> 
<p>Die No. 16130</p> <p>0.737 Kg/m 0.792 kg/m</p> 	<p>Die No. 16128</p> <p>0.792 Kg/m 0.901 kg/m</p> 


SLOTTED TUBES



# Darshan Extrusions Pvt. Ltd.


Die No. 16161

0.956 Kg/m  
1.065 kg/m  
1.420 kg/m




Die No. 16129

1.010 Kg/m  
1.174 kg/m




Die No. 19949

1.420 Kg/m




Die No. 1307

1.495 kg/m




Die No. 19708

1.091 Kg/m




Die No. 21014

1.439 kg/m




Die No. 21015

1.429 Kg/m



Die No. 21016

1.199 kg/m




SLOTTED TUBE



# Darshan Extrusions Pvt. Ltd.


Die No. 21017

0.516 Kg/m




Die No. 21030

0.778 Kg/m



Die No. 21031


0.506 Kg/m



SLOTTED TUBE




## U /C CHANNEL



SR.NO.	A	B	T	WT/M	WT/12FT
1	9	9	0.8	0.055	0.200
2	9.6	15.3	1.15	0.115	0.420
3	9.9	10	0.9	0.093	0.340
4	10	15.3	1	0.117	0.430
5	10	16	1	0.109	0.400
6	12	12	0.6	0.057	0.210
7	12	12	1.2	0.115	0.420
8	12	15.45	2	0.213	0.780
9	15	15	1	0.120	0.440
10	15	12	1.7	0.115	0.420
11	15	15	2.25	0.251	0.920
12	18	14	1.2	0.142	0.520
13	19	12	1.5	0.123	0.450
14	20	20	1.4	0.205	0.750
15	20	25	2	0.355	1.300
16	25	12	1.1	0.150	0.550
17	25	12	1.95	0.246	0.900
18	25	25	2.5	0.478	1.750
19	31	15	1.1	0.178	0.650
20	33	50	3	1.025	3.750
21	35	13	1	0.150	0.550
22	38	12	1	0.150	0.550
23	38	19	3	0.601	2.200
24	38	19	4	0.702	2.570
25	38	25	2	0.437	1.600
26	38	50	4	1.393	5.100
27	40	40	3	0.899	3.290
28	45	25	3	0.738	2.700
29	45	25	4	0.937	3.430
30	50	25	1.2	0.317	1.160
31	50	25	3	0.760	2.780
32	50	25	6	1.410	5.160
33	50	50	3	1.148	4.200
34	75	38	6	2.240	8.200
35	100	50	5	2.705	9.900
36	100	50	6	3.019	11.050
37	100	50	8	3.940	14.420
38	150	50	6	3.798	13.900




## T- SECTION



SR.NO.	A	B	T	WT/M	WT/12FT
1	12	12	2	0.117	0.430
2	19	19	0.9	0.085	0.310
3	19	19	1.7	0.161	0.590
4	20	30	1.2	0.158	0.580
5	25	25	1.15	0.148	0.540
6	25	25	1.5	0.191	0.700
7	31	31	2.5	0.399	1.460
8	38	38	4	0.765	2.800
9	50	50	2.35	0.628	2.300
10	75	50	2.5	0.847	3.100



## E-SECTION



SR.NO.	A	B	T	WT/M	WT/12FT
1	15	12	0.75	0.090	0.330
2	19	12	0.6	0.074	0.270
3	19	12	1	0.150	0.550
4	21	14	0.9	0.153	0.560
5	22	12	0.6	0.090	0.390
6	22	12	1	0.150	0.550
7	22	12	1.15	0.175	0.640
8	25	12	0.95	0.154	0.565
9	31	15	1.4	0.273	1.000